


PGFU24X2



Product Family
 Built-in type
 Dimensions
 Power supply
 Type
 EAN code

Hob
 Ultra-low profile
 24"
 Gas
 Gas
 8017709347437



Aesthetics



Aesthetic
 Colour
 Finishing
 Material
 Type of steel
 Pan stands
 Burners Material
 Type of control setting
 Control knob position
 No. of controls
 Controls colour
 Logo
 Serigraphy colour

Classica
 Stainless steel
 Satin
 Stainless Steel
 Brushed
 Cast iron
 Aluminium
 Control knobs
 Front
 4
 Steel effect
 Silk screen
 Black

Program / Functions

No. of gas cook zones 4

Technical Features

Left - 12000 BTU
 Rear-centre - 4000 BTU
 Front-centre - 4000 BTU
 Right - 9000 BTU

Gas safety valves Yes Automatic Ignition Yes

Accessories Included


Cast iron wok support 1

Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	60 Hz
Voltage (V)	120 V	Power supply cable length	47 1/4 "
Type of electric cable	Single phase	Plug	(B) USA 120V

Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 GPL Liquid gas
Gas connection	Cilindrical		



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



Symbols glossary

- | | | | |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |  | Knobs control |