


PGFU24X2



Product family	Cooktop
Installation	Ultra-low profile
Dimensions	24"
Power supply	Gas
Type	Gas
EAN code	8017709347437



Aesthetic



Aesthetics	Classic
Color	Stainless steel
Finishing	Satin
Material	Stainless steel
Stainless steel type	Brushed
Grates	Cast iron
Burners material	Aluminum
Control setting type	Control knobs
Controls position	Front
No. of controls	4
Controls color	Stainless steel effect
Silkscreen color	Black

Program / Functions

Burners	4
---------	---

Technical Features

Left - 3.50 kW			
Rear-center - 1.10 kW			
Front-center - 1.10 kW			
Right - 2.70 kW			
Gas safety valves	Yes	Automatic Ignition	Yes

## Accessories Included


Cast iron wok support      1

## Electrical Connection

Plug	(B) USA 120V	Frequency	60 Hz
Voltage	120 V	Power cord length	47 1/4 "
Electric cable type	Single phase	Plug	B

## Gas Connection

Gas Type	G20 Natural gas	Other gas nozzles included	G30 LPG liquid gas
Gas connection	Cylindric	Gas nominal rating	9500 W



---

## Compatible Accessories

---

**6MP1PGF**

6 Linea knobs for PGF hobs



---

## Symbols glossary

---



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control

---

## Benefit (TT)

---

### Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Accurate power adjustment via knobs, for more precise cooking level control