

PGFU36X



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	36"
Power supply	Mixed
Type	Gas
EAN code	8017709210878



Aesthetics



Aesthetic	Classica
Colour	Stainless steel
Finishing	Satin
Material	Stainless Steel
Type of steel	Brushed
Pan stands	Cast iron
Burners	Standard
Burners Material	Alluminium
Type of control setting	Control knobs
Control knob position	Lateral
No. of controls	5
Controls colour	Steel effect

Programs / Functions

No. of gas cook zones	5
Total no. of cook zones	5

Options

Worktop Cut-Out	492x850 mm
-----------------	------------

Technical Features

UR

Front-left - Gas - Semi Rapid - 1.80 kW - 6000 BTU
 Rear-left - Gas - Semi Rapid - 1.80 kW - 6000 BTU
 Central - Gas - UR - 4.00 kW - 13500 BTU
 Rear-right - Gas - Semi Rapid - 1.80 kW - 6000 BTU
 Front-right - Gas - AUX - 1.05 kW - 3500 BTU
 Gas safety valves Yes

Automatic Ignition Yes

Accessories Included

Cast iron wok support 1

Electrical Connection


Electrical connection rating (W) 1 W
 Voltage (V) 100-120 V
 Type of electric cable Single phase

Frequency (Hz) 50/60 Hz
 Power supply cable length 47 1/4 "
 Plug B

Gas Connection

Gas Type G20 Natural gas
 Gas connection Cilindrical

Other gas nozzles included G30 GPL Liquid gas
 Gas connection rating (W) 9500 W



Not included accessories



GRW
Wok support



GRM
Coffee machine support







WOKGHU
Cast iron WOK Support



6MP1PGF
6 Linea knobs for PGF hobs

Symbols glossary (TT)

- | | | | |
|--|---|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Knobs control |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |