

PGFU36X2



Product Family Hob

Built-in type Ultra-low profile

Dimensions 36"
Power supply Gas
Type Gas

EAN code 8017709347420



Aesthetics





Aesthetic Classica Stainless steel

Finishing Satin

MaterialStainless SteelType of steelBrushedPan standsCast ironBurnersStandardBurners MaterialAlluminiumType of control settingControl knobs

Control knob position Lateral No. of controls 5

Controls colourSteel effectLogoSilk screen

Program / Functions

No. of gas cook zones 5
Total no. of cook zones 5

Technical Features



Front-left - Gas - Semi Rapid - 6000 BTU Rear-left - Gas - Semi Rapid - 6000 BTU

Central - Gas - UR - 13500 BTU

SMEG SPA 2025-12-17



Rear-right - Gas - Semi Rapid - 6000 BTU Front-right - Gas - AUX - 3500 BTU

Gas safety valves Yes **Automatic Ignition** Yes

Accessories Included

Cast iron wok support

Electrical Connection

Electrical connection

rating (W)

Voltage (V)

Type of electric cable

100-120 V

1 W

Single phase

Frequency (Hz)

Power supply cable

length

В

50/60 Hz

47 1/4 "


Plug

Gas Connection

Gas Type Gas connection G20 Natural gas Cilindrical

Other gas nozzles included

G30 GPL Liquid gas



SMEG SPA 2025-12-17



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs

GRW


Wok support



GRM

Coffee machine support

WOKGHU



SMEG SPA 2025-12-17



Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control

SMEG SPA 2025-12-17