

# PIC01EGMEU

Category	Cooking
Product Family	Portable cookers
Type	Induction
Version	EU
EAN Code	8017709339746



## Aesthetics

Aesthetic Colour	Collezione Emerald Green	LED colours	Red
Finishing	Matt	Probe material	Metal
Body colour	Emerald green	Probe handle material	Silicon
Body Material	Plastic	Probe handle colour	Grey
Body finishing	Matt	Probe clip material	Rubber
Front panel material	Aluminium	Probe clip colour	Grey
Front panel Colour	Aluminum	Accessories case material	Plastic
Front panel finishing	Brushed with polished edge	Accessories case colour	Grey
Surface material	Glass	Non-slip feet material	Rubber
Glass type	Ceramic	Logo Type	Applied
Glass colour	Black	Power Cable Colour	Grey
Glass edge	Angled edge	Alternative colours available	White, Black
Serigraphy colour	Grey	Decorated / Special	NA

## Controls

Display	Yes	Control knob position	Front
Display technology	LED	ON/OFF button	Yes
Control Settings	Touch	Slider	Yes

## Technical Features

No. of induction cook zones	1	Boost power level	2.10 kW
		Antislip feet	Yes

<b>Cooking zone dimensions</b>	22 cm	<b>Detachable cord</b>	Yes
<b>Compatible pot size</b>	12 - 24 cm		
<b>Max power (Level 9)</b>	1.45 kW		

## Program / Functions

<b>Power levels</b>	9
<b>Timer settings</b>	Up to 99 min
<b>Temperature setting</b>	40 - 99 °C (with external probe)
<b>Boost Function</b>	Yes
<b>Preset programs</b>	Keep warm, Barbecue, Fry
<b>N° programs Barbecue function</b>	3
<b>N° programs Fry function</b>	3
<b>Probe functions</b>	Target, Timer
<b>Pause function</b>	Yes
<b>Controls Lock / Child Safety</b>	Yes
<b>pan detection</b>	Yes
<b>Automatic switch off when overheat</b>	Yes
<b>Automatic switch off when overflow</b>	Yes
<b>Residual heat indicator</b>	Yes
<b>Automatic switch off</b>	Yes
<b>Other options</b>	Keyboard sound ON/OFF, Acoustic signals ON/OFF, Brightness level
<b>End of cooking acoustic alarm</b>	Yes
<b>Sound signals</b>	Opzionale

## Accessories Included

<b>Temperature probe</b>	Yes	<b>Accessories case</b>	Yes
<b>Clip probe</b>	Yes		

## Electrical Connection

<b>Power</b>	2100 W	<b>Power supply cable length</b>	1 m
<b>Voltage</b>	220-240 V	<b>Plug</b>	(F;E) Schuko
<b>Frequency (Hz)</b>	50/60 Hz		

## Standby consumption

<b>Power off activation time</b>	1 min	<b>Product off power</b>	0.2 W
----------------------------------	-------	--------------------------	-------

## Logistic Information

<b>Product Width</b>	315 mm	<b>Packaged Product Depth</b>	530 mm
----------------------	--------	-------------------------------	--------



---

<b>Product Depth</b>	412,5 mm	<b>Packaged Product Height</b>	130 mm
<b>Product Height</b>	54 mm	<b>Net Weight (kg)</b>	3.300 kg
<b>Product Dimensions</b>	WxDxH 315x412,5x54 mm	<b>Gross Weight (kg)</b>	5.200 kg
<b>Packaged Product Width</b>	405 mm		

---

## Alternative products

---



**PIC01WHMEU**  
Colour: White



**PIC01BLMEU**  
Colour: Black