

# PIP364D1



Product Family	Hob
Built-in type	Ultra-low profile or Fully Flushed
Dimensions	60 cm
Power supply	Electric
Type	Induction
EAN code	8017709292409



## Aesthetics



Aesthetic	Universale
Colour	Black
Finishing	Glass
Material	Glass
Glass type	Ceramic
Glass edge	Straight edge
Type of control setting	Touch controls
Slider	Red
Control knob position	Front
Serigraphy colour	Grey

## Programs / Functions



Total no. of cook zones	4
No. of induction cook zones	4
Time-setting options	Automatic Shutdown
No. of cooking zones with booster	4
Main on/off switch	Yes
Power levels	9

## Options



Standard cut out	478-482x555-560 mm	Residual time indicator	Yes
End cooking timer	4	Limited Power	Yes
Minute minder	1	Consumption Mode	
End of cooking alarm	Yes	Limited Power	1000, 1600, 2200, 2800,
		Consumption Mode in W	3500, 6000, 7200 W
		Control Lock / Child Safety	Yes

## Technical Features



Front-left - Induction - Single - 1.85 kW - Booster 2.10 kW - Ø 21.0 cm

Rear-left - Induction - Single - 1.40 kW - Booster 1.60 kW - Ø 15.0 cm

Rear-right - Induction - Single - 1.85 kW - Booster 2.10 kW - Ø 21.0 cm

Front-right - Induction - Single - 1.40 kW - Booster 1.60 kW - Ø 15.0 cm

Automatic setting according to pan dimension

Yes

pan detection

Yes

Minimum pan diameter indication

Yes

Automatic switch off when overheat

Yes

Residual heat indicator

Yes

Protection against accidental start up

Yes

## Electrical Connection

Electrical connection rating (W)

7200 W

Current

32 A

Voltage (V)

220-240 V

Voltage 2 (V)


380-415 V

Type of electric cable

Single and Double phase

Frequency (Hz)

50/60 Hz



---

## Not included accessories











---



### SCRP

Induction and ceramic hobs and teppanyaki scraper

## Symbols glossary (TT)

	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
	CUT_OUT_STANDARD_72dpi		ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.
	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.		Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.
	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.		Time elapsed: shows how long the cooking zone has been in use.
	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.		Touch control