

PL4325XIN



Product Family Dishwashers Commercial width 60 cm Commercial height 82 cm

Installation Partially-integrated built-in

N° baskets

EAN code 8017709244613



Programs











N. of programmes 5+5 quick programmes Normal Yes Washing temperatures 38, 45, 50, 55, 65, 70 °C Ultraclean Yes Soak **ECO Quick** Yes Rapid 27' Yes **Delicate and Quick** Yes Glass Yes **Normal Quick** Yes **ECO** Strong and fast Yes Yes

Options







Enersave option Delay timer option 1/2 load FlexiZone

Up to 24 hours Yes

Yes

Options for tabs **FlexiTabs**

Quick Time option

Yes

Yes

Baskets

option



Basket colour **Basket components**

colour Handle Grey Grey

In plastic with stainless

steel insert on upper and

lower basket

Lower Basket Lower basket with anti- Yes

With 4 foldable racks

drip inserts

Largest loadable dish in 30,0 cm

lower basket

SMEG SPA 13/12/2025



Upper Basket Height adjustment of the upper basket

Largest loadable dish in 23,5 cm upper basket

With central fixed racks

On three levels (5 cm)

Colour Inner Components Grey anti drop inserts, Grey handles, Grey pastic plate for regulation second basket on three levels, Green Planetarium

Cutlery basket

13 place settings sliding

Technical Features





Width (mm) 598 mm Depth (mm) 570 mm

Display type LED display (4 digit)

Product Height (mm) 818 mm Controls Electronic

Display Delayed start, Programme time indicator, Time to end

indication

Programme graphics Symbols On/off indicator Yes Salt light indicator Light Rinse aid indicator Light **Progress indicator** Yes

End of cycle indicator On display, with acoustic

signal

With electronic setting

Planetarium Washing system Third spray arm Single

Water softener

Flood protection system Total Acquastop

Water supply

Single; cold/hot water max.

60°C - energysave with hot water up to 35%

Max water hardness 100°fH:58°dH

Drying system

Natural condenser drying, with EnerSave automatic door opening system at the

end of the cycle

Steam protection In plastic Tub material Stainless steel Filter Stainless steel Yes

Concealed heating

element Hinges

Adjustable feet

Additional gaskets

Self balancing with variable

hinges

7 cm, from 820 to 890 mm Yes, with stainless steel

plate

Yes, with covered **Back cover** counterweight 1146 mm

Depth of dishwasher with open door (mm) Back feet adjustable

from front

Yes

Top cover

In plastic

Electrical Connection

Connected power 1800 W Current 10 A Voltage 220-240 V Frequency (Hz) 50 Hz

Type of connection Power supply cable length


Plug

Single-phase 140 cm

(F;E) Schuko

SMEG SPA 13/12/2025





SMEG SPA 13/12/2025



Compatible Accessories

KITGH



Kit glass holder. It has to be fitted on the first basket but only if there are foldable



KITPL60N



Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



KITPL60X

KITPL60B



Toekick Kit in Stainless Steel with adjustable height and deepness. Can be fitted over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

Toekick Kit in White colour with

be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

adjustable height and deepness. Can

KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2

SMEG SPA 13/12/2025



Symbols glossary



To improve the drying of dishes without leaving stains.



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



82 cm high



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Ideal for multi-function detergents, this option allows washing to be optimised, with full benefits from the combined-action tablets. When this option is activated, any salt and rinse aid is used.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



The Planetarium washing system, with high rotations per minute, guarantees complete coverage of the tank, thanks to the simultaneous rotation of base and sprayers, and excellent washing results.



Delicate Quick: Program Delicate Quick is suitable for quick washing of delicate dishes.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Normal Quick: Program Normal Quick is suitable for quick washing of mixed dishes, for everyday



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Strong&Fast: This special programme takes less than 1 hour to eliminate the most stubborn dirt and dried on residues.



13 place settings: Number of place settings.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.



System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.

SMEG SPA 13/12/2025