

PL4325XIN

82 cm **Product Family Commercial width Commercial height** Installation N° baskets EAN code

Dishwashers 60 cm 82 cm Partially-integrated built-in 2 8017709244613



Programs

Eco € 50° Eco € 50°	Car.		
N. of programmes	5+5 quick programmes	Normal	Yes
Washing temperatures	38, 45, 50, 55, 65, 70 °C	Ultraclean	Yes
Soak	Yes	ECO Quick	Yes
Rapid 27'	Yes	Delicate and Quick	Yes
Glass	Yes	Normal Quick	Yes
ECO	Yes	Strong and fast	Yes

Options



Enersave option Delay timer option 1/2 load FlexiZone option

Yes Up to 24 hours Yes

Options for tabs Yes FlexiTabs **Quick Time option**

Yes

Baskets



Grey In plastic with stainless

Grey

steel insert on upper and lower basket

With 4 foldable racks Lower Basket Lower basket with anti- Yes drip inserts Largest loadable dish in 30,0 cm lower basket



Upper Basket Height adjustment of the upper basket Largest loadable dish in 23,5 cm upper basket

With central fixed racks On three levels (5 cm)

Colour Inner Components

Cutlery basket

Grey anti drop inserts, Grey handles, Grey pastic plate for regulation second basket on three levels, **Green Planetarium** 13 place settings sliding

Technical Features



Acquisitor			
Width (mm)	598 mm	Flood protection system	Total Acquastop
Depth (mm)	570 mm	Water supply	Single; cold/hot water max.
Display type	LED display (4 digit)		60°C - energysave with hot
Product Height (mm)	818 mm		water up to 35%
Controls	Electronic	Max water hardness	100°fH;58°dH
Display	Delayed start, Programme time indicator, Time to end indication	Drying system	Natural condenser drying, with EnerSave automatic door opening system at the end of the cycle
Programme graphics	Symbols	Steam protection	In plastic
On/off indicator	Yes	Tub material	Stainless steel
Salt light indicator	Light	Filter	Stainless steel
Rinse aid indicator Progress indicator	5	Concealed heating	Yes
•		element	
End of cycle indicator	On display, with acoustic signal	Hinges	Self balancing with variable hinges
Washing system Planetarium	Planetarium	Adjustable feet	7 cm, from 820 to 890 mm
Third spray arm	Single	Additional gaskets	Yes, with stainless steel
Water softener	With electronic setting	-	plate
		Back cover	Yes, with covered counterweight
		Depth of dishwasher with open door (mm)	1146
		Back feet adjustable from front	Yes

Electrical Connection

Plug **Connected power** Current Voltage

(F;E) Schuko 1800 W 10 A 220-240 V


Frequency (Hz) Type of connection Power supply cable length

Top cover

50 Hz Single-phase 140 cm

In plastic







Compatible Accessories



KITGH

Kit glass holder. It has to be fitted on the first basket but only if there are foldable racks

KITPL60N



Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2



KITPL60B

Toekick Kit in White colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

KITPL60X



Toekick Kit in Stainless Steel with adjustable height and deepness. Can be fitted over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

•se•smeg

Symbols glossary

		٠		/
L	1		K	
L	4		n	. 1
L.	л		7	
1		-	•	_

To improve the drying of dishes without leaving stains.



82 cm high



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.




The Planetarium washing system, with high rotations per minute, guarantees complete coverage of the tank, thanks to the simultaneous rotation of base and sprayers, and excellent washing results.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.




Normal Quick: Program Normal Quick is suitable for quick washing of mixed dishes, for everyday use.



Total Acquastop: In addition to the partial
Acquastop protection present in all Smeg
dishwashers, some models have an electronic
device fitted to the water intake hose, which
monitors water levels in the machine, detects
leaks in the hose and switches off the water
supply immediately when necessary.

A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



 \bigcirc

 (\mathbf{Y})

Ideal for multi-function detergents, this option allows washing to be optimised, with full benefits from the combined-action tablets. When this option is activated, any salt and rinse aid is used.



9ð

Noise Level: Excellent insulation and special devices keep noise to a minimum.

Delicate Quick: Program Delicate Quick is suitable for quick washing of delicate dishes.

Eco^{*} Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



13 place settings: Number of place settings.

System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



Benefit (TT)

Planetarium Wash System

Full and deep wash coverage thanks to the advanced movement of the spray arm, an innovation patented by Smeg

Smeg's patented Planetarium Wash System guarantees impeccable cleaning. With a simultaneous double movement of the sprayer and 65 rotations per minute, it reaches every nook and cranny for extraordinary results. Dishes, glasses and utensils will be perfectly clean in no time. An intelligent system where efficiency and style meet, delivering brilliant results effortlessly.