

# PL4325XIN



Product Family Dishwashers
Commercial width 60 cm
Commercial height 82 cm

**Installation** Partially-integrated built-in

N° baskets

EAN code 8017709244613



### **Programs**













N. of programmes 5+5 quick programmes Normal Yes Washing temperatures 38, 45, 50, 55, 65, 70 °C Ultraclean Yes Soak **ECO Quick** Yes Rapid 27' Yes **Delicate and Quick** Yes Glass Yes **Normal Quick** Yes **ECO** Strong and fast Yes Yes

## **Options**







Enersave option
Delay timer option
1/2 load FlexiZone

Yes

Yes

Up to 24 hours

Options for tabs FlexiTabs

Quick Time option

Yes

Yes

## **Baskets**

option



Basket colour Basket components

colour Handle Grey Grey

In plastic with stainless

In plastic with stainless steel insert on upper and lower basket

Lower Basket

With 4 foldable racks

Lower basket with anti- Yes

drip inserts

Largest loadable dish in 30,0 cm

lower basket



**Upper Basket** Height adjustment of the upper basket

Largest loadable dish in 23,5 cm upper basket

With central fixed racks

On three levels (5 cm)

Colour Inner Components Grey anti drop inserts, Grey handles, Grey pastic plate for regulation second basket on three levels, Green Planetarium

**Cutlery basket** 

13 place settings sliding

### **Technical Features**





Width (mm) 598 mm Depth (mm) 570 mm

Display type LED display (4 digit)

Product Height (mm) 818 mm Controls Electronic

Display Delayed start, Programme time indicator, Time to end

indication

Symbols Programme graphics On/off indicator Yes Salt light indicator Light Rinse aid indicator Light **Progress indicator** Yes

End of cycle indicator On display, with acoustic

signal

With electronic setting

Planetarium Washing system Third spray arm Single

Water softener

Flood protection system Total Acquastop

Water supply

Single; cold/hot water max.

60°C - energysave with hot

water up to 35%

Max water hardness Drying system

100°fH:58°dH Natural condenser drying,

with EnerSave automatic door opening system at the

end of the cycle

Steam protection In plastic Tub material Stainless steel Filter Stainless steel

Concealed heating

element

Hinges

Self balancing with variable

hinges

Yes

Adjustable feet Additional gaskets

7cm, from 820 to 890 mm Yes, with stainless steel

plate

Yes, with covered Back cover counterweight

Depth of dishwasher with open door (mm)

Back feet adjustable

from front

Top cover

Yes

1146

In plastic


#### **Electrical Connection**

Plug (F;E) Schuko Connected power 1800 W 10 A Current Voltage 220-240 V

Frequency (Hz) Type of connection Power supply cable length

50 Hz Single-phase 140 cm







## **Compatible Accessories**

#### **KITGH**



Kit glass holder. It has to be fitted on the first basket but only if there are foldable



#### KITPL60N




Toekick Kit in Black colour with adjustable height and deepness. Can be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.



#### KITPL60X

KITPL60B



Toekick Kit in White colour with

be installed over all the fully integrated and underbench models with variable fulcrum or flexifit hinges.

adjustable height and deepness. Can

#### KITPLV2



Kit extension for dishwasher and washing machine: lenght mt. 2



### Symbols glossary



To improve the drying of dishes without leaving stains.



A+++: Appliances with this symbol can reduce energy consumption by a further 30% from the standard A energy rating.



82 cm high



Delay Timer: Option to postpone the start of the desired programme by up to 24 hours in order to programme the dishwasher to run at the desired time.



Fingerprint proof stainless steel: Fingerprint proof stainless steel keeps stainless steel looking as good as new.



Ideal for multi-function detergents, this option allows washing to be optimised, with full benefits from the combined-action tablets. When this option is activated, any salt and rinse aid is used.



FlexiZone: The ½ load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



Noise Level: Excellent insulation and special devices keep noise to a minimum.



The Planetarium washing system, with high rotations per minute, guarantees complete coverage of the tank, thanks to the simultaneous rotation of base and sprayers, and excellent washing results.



Delicate Quick: Program Delicate Quick is suitable for quick washing of delicate dishes.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Eco: Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



Normal Quick: Program Normal Quick is suitable for quick washing of mixed dishes, for everyday



Soak programme: The soak programme provides a rinse to prevent dirt from drying.



Strong&Fast: This special programme takes less than 1 hour to eliminate the most stubborn dirt and dried on residues.



13 place settings: Number of place settings.



Total Acquastop: In addition to the partial Acquastop protection present in all Smeg dishwashers, some models have an electronic device fitted to the water intake hose, which monitors water levels in the machine, detects leaks in the hose and switches off the water supply immediately when necessary.

000 8,5 lt System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



## Benefit (TT)

#### Planetarium Wash System

Full and deep wash coverage thanks to the advanced movement of the spray arm, an innovation patented by Smeg

Smeg's patented Planetarium Wash System guarantees impeccable cleaning. With a simultaneous double movement of the sprayer and 65 rotations per minute, it reaches every nook and cranny for extraordinary results. Dishes, glasses and utensils will be perfectly clean in no time. An intelligent system where efficiency and style meet, delivering brilliant results effortlessly.