

PM3643D



Product Family Hob

Built-in type Ultra-low profile

Dimensions 65 cm Power supply Mixed Type Mixed

EAN code 8017709290191



Aesthetics











Aesthetic Classica Colour Black Glass **Finishing** Material Glass

Glass type ceramic Eclipse Glass edge Straight edge

Glass on Steel Yes New Serie Cast iron Pan stands

Burners Smeg Contemporary

Burners Material Brass

Type of control setting Control knobs

Slider Yes LED colours White Control knob position Front No. of controls 2

Steel effect Controls colour Silk screen Logo Serigraphy colour Grey

Program / Functions



No. of gas cook zones 2 2 No. of induction cook zones

SMEG SPA 30/11/2025



Time-setting options

No. of cooking zones with booster No. of Flexible zones Main on/off switch

Power levels Total no. of cook zones

Options





Multizone Option

















2

1

9

4

Yes

Flexible Zone Type Worktop Cut-Out

Keep warm automatic

function **Grill function** Yes End cooking timer 2 Pause option Yes Minute minder Yes

Yes

MultiZone

482-486x555-560 mm

Yes

Yes

3700 W

End of cooking alarm

Residual time indicator Yes

Limited Power Si Advance

Consumption Mode

Spegnimento automatico

Limited Power 2100 a 3700 - step 100 W

Yes

Yes

Consumption Mode in W Showroom Demo Option Yes

Control Lock / Child

Safety

Bridge option Yes Quick start Yes Rapid level selection Yes

Technical Features









Front-left - Gas - AUX - 1.10 kW

Rear-left - Gas - Rapid - 3.10 kW

Rear-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.0x19.0 cm Front-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 21.0x19.0 cm Multizone right - Booster 3.60 kW - 38.5x23.0 cm

Automatic setting according to pan dimension

pan detection Yes **Permanent Automatic** Yes Pot Detection with

indication of the relative control

Gas safety valves Yes **Automatic Ignition** Yes Automatic switch off when overheat

Automatic switch off Yes

when overflow

Residual heat indicator Yes **Protection against** Yes

accidental start up

Electrical Connection

Electrical connection

rating (W)

Current 16 A Voltage (V) 220-240 V 380-415 V Voltage 2 (V)

Type of electric cable

installed

Frequency (Hz) Power supply cable Yes, Single phase

50/60 Hz 120 cm

length

Plug Not present


SMEG SPA 30/11/2025



Gas Connection

Gas Type
Gas connection
Other gas nozzles
included

G20/G25 natural gas Cilindrical G30 GPL Liquid gas Other gas connections Conical provided
Gas connection rating 4100 W
(W)



SMEG SPA 30/11/2025



Compatible Accessories

5MPV3MB



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

LGCN



Connecting Strip Built-in hobs, stainless steel, 475/495 mm

SMEG SPA 30/11/2025



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi



Permanent auto pot detection



Grill function



Possibility to set the maximum power absorbion of the hob



Darkness becomes light



Knobs control

SMEG SPA 30/11/2025