

PM3743D



Product Family

Built-in type Ultra-low profile **Dimensions** 70/75 cm Power supply Mixed Type Mixed

Hob

EAN code 8017709290252



Aesthetics











Aesthetic Classica Colour Black Glass **Finishing** Material Glass

Glass type ceramic Eclipse Glass edge Straight edge Glass on Steel Yes

Serie New Cast iron Pan stands

Burners Smeg Contemporary

Burners Material Brass

Type of control setting Control knobs

Slider Yes Control knob position Front No. of controls

Steel effect Controls colour Serigraphy colour Grey

Program / Functions



No. of gas cook zones 2 No. of induction cook zones

Time-setting options Spegnimento automatico

2 No. of cooking zones with booster



No. of Flexible zones 1

Main on/off switch Yes

Power levels 9

Total no. of cook zones 4

Options



Multizone Option Yes Residual time indicator Yes
Flexible Zone Type MultiZone Limited Power Si Advance
Washing Cut Out

Worktop Cut-Out 482-486x719-724 mm Consumption Mode

Keep warm automatic Yes Limited Power 2100 a 3700 - step 100 W Consumption Mode in W

Grill function Yes Showroom Demo Option Yes End cooking timer 2 Control Lock / Child Yes

Pause option Yes Safety
Minute minder 1 Bridge option Yes
End of cooking alarm Yes Quick start Yes
Rapid level selection Yes

Technical Features

Front-left - Gas - AUX - 1.10 kW

Rear-left - Gas - UR - 3.30 kW

Rear-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm

Front-right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3.00 kW - 24.0x18.0 cm

Multizone right - Booster 3.60 kW - 38.5x23.0 cm

Yes

Yes

Automatic setting Yes Automatic switch off Yes according to pan when overheat

dimension Automatic switch off Yes pan detection Yes when overflow Permanent Automatic Yes Residual heat indicator Yes

Permanent Automatic Yes Residual heat indicator Yes
Pot Detection with Protection against Yes
indication of the relative accidental start up

Accessories included

Gas safety valves

Automatic Ignition

Cast iron wok support 1

Electrical Connection

Plug Not present Voltage 2 (V) 380-415 V

Electrical connection 3700 W Type of electric cable rating (W) rotage 2 (V) 180-415 V

Type of electric cable installed



Current Voltage (V) 16 A 220-240 V Frequency (Hz) Power supply cable length

50/60 Hz 120 cm

Gas Connection


Gas Type **Gas** connection Other gas nozzles included

G20/G25 natural gas Cilindrical G30 GPL Liquid gas

Other gas connections provided

Conical

Gas connection rating 4300 W (W)





Compatible Accessories

5MPV3MB



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

LGCN



Connecting Strip Built-in hobs, stainless steel, 475/495 mm



Symbols glossary

	7	Ø.	П
ľ	•)	ы
1	۳	9	IJ
	10	3	

Permanent auto pot detection



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



This function allows you to keep cooked food warm without burner it



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Time elapsed: shows how long the cooking zone has been in use.



TWIN_ZONE_72dpi



Grill function



Darkness becomes light



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Possibility to set the maximum power absorbion of the hob



Benefit (TT)

Mixed type hob

Maximum efficiency and precision in one system: induction for speed and savings, gas for flame control

Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space

Eclipse

Minimal design and high performance meet in Eclipse black glass, with no visible screen printing

Cast iron

Solid and sturdy, easy to clean and maintain every day, thanks to the cast-iron pan supports—an emblem of longlasting efficiency and durability

Smeg Contemporanea

Optimal cooking with every dish: burners combine high performance, efficiency, and practicality, ensuring precise, even results even with intensive use

Accurate power adjustment via knobs, for more precise cooking level control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use

Fits even the smallest spaces: Domino modules let you customize the cooktop according to your needs, optimizing space in compact kitchens

Keep Warm function

Dishes always served at the right temperature, even after cooking, thanks to the Keep Warm function

Nine power levels and Boost function for optimal cooking performance

Gas safety valves

Automatic protection against gas leaks: the thermocouple stops gas flow in the absence of flame, ensuring a safe environment even during unexpected shutdowns

Glass on steel

Safety even in case of breakage: a stainless steel sheet beneath the glass prevents fragmentation, allowing continued use until replacement



MultiZone

Large surface created by joining two contiguous zones, perfect for large dishes

In addition to their sleek aesthetics and contemporary design, Smeg induction hobs are equipped with innovative technologies. The Multizone function guarantees maximum flexibility in the use of the hob and endless cooking possibilities, expanding the cooking area to suit the shape and size of different pans.

Grill function

Even heat distribution with the grill function, requiring just two minutes of preheating for perfectly grilled dish

Permanent Automatic Pot Detection with indication of the relative control

Automatic activation of the correct cooking zone with Autopot Detection, recognizing the pot without user intervention