

# PM3912WLD



Familie	Kookplaat
Inbouw	Vlak opbouw
Afmeting	90 cm
Voeding	Gemixed
Type	Gemixed
EAN-code	8017709235260



## Design



Esthetiek	Classici
Kleur	Zwart
Afwerking	Glas
Materiaal	Glas
Type glas	ceramic Eclipse
Glazen rand	Rechte rand
Glas op staal	Ja
Pannendragers	Gietijzer
Branders	Smeg Contemporanea
Materiaal branders	Messing
Type bediening	Bedieningsknoppen
Slider	Ja
Positie bediening	Voor
Aantal bedieningsknoppen	1
Kleur knoppen	Rvs look
Kleur serigrafie	Grijs

## Program / Functions



Aantal kookzones gas	1
Aantal inductiekookzones	4
Aantal kookzones met booster	4
Aantal Multizones	2
Hoofdtoets aan/uit	Ja

---

Vermogen niveaus	9
Totaal aantal kookzones	5

## Opties

---



Multizone optie	Ja	Pauze optie	Ja
Flexible Zone Type	MultiZone	Timer	1
Worktop Cut-Out	482-486x839-844 mm	Akoestisch signaal einde kooktijd	Ja
Sudderfunctie	Ja	Resttijd indicator	Ja
Warmhoudfunctie	Ja	Showroom demo optie	Ja
Smelt/ Lage temperatuurfunctie	Ja	Kinderbeveiliging	Ja
Automatische uitschakeling	4	Snelle selectie niveaus	Ja

## Technische specificaties

---



Linksmidden - Gas - URP - 6.00 kW  
 Middenachter - Inductie - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm  
 Middenvoor - Inductie - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm  
 Rechtsachter - Inductie - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm  
 Rechtsvoor - Inductie - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm  
 Multizone center - Booster 3.60 kW - 38.5x23.0 cm  
 Multizone right - Booster 3.60 kW - 38.5x23.0 cm

Automatische herkenning panafmeting	Ja	Automatische stop bij oververhitting	Ja
Automatische panherkenning	Ja	Automatisch uitschakelen i.g.v. overkoken	Ja
Permanente automatische pandetectie met indicatie van de relatieve controle	Ja	Restwarmte indicator beveiliging tegen onbedoeld inschakeling	Ja
Thermobeveiliging	Ja		
Automatische ontsteking	Ja		

## Megeleverde accessoires

---

Gietijzeren wokring	1
---------------------	---

## Elektrische aansluiting

---

Aansluitwaarde	7400 W	Type stroomkabel	Eenfasig
Stroom	33 A	Frequentie	50/60 Hz
Spanning (V)	220-240 V	Lengte voedingskabel	120 cm

Spanning 2 (V)


380-415 V

Stekker

No

## Gasaansluiting

Type gas	G20 Aardgas	Andere gasaansluitingen	Conisch
Gasaansluiting	Cilindrisch	Nominale aansluitwaarde gas	5900 W
Andere sproeiers meegeleverd	G30 Vloeibaar gas GPL		



## Compatibile Accessoires

### 5MP1GOG

Hob knobs set Linea knobs for Gas on Glass hobs (5 knobs)



### LGCN



Connecting Strip Built-in hobs, stainless steel, 475/495 mm



### GRW

Wok support



### WOKGHU

Cast iron WOK Support

## Symbols glossary

	Permanent auto pot detection		Powerbooster: optie zorgt ervoor dat de zone op vol vermogen werkt wanneer zeer intensief koken nodig is.
	Ultra-low profile: Installation of product with flat edge - height of 1 mm.		Heavy duty gietijzeren pannendragers: voor maximale stabiliteit en sterke.
	Kinderslot: sommige modellen zijn voorzien van een apparaat om het programma / de cyclus te vergrendelen zodat het niet kan per ongeluk veranderd		Knobs control
	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.		Versterkte basis: Een versterkte basis, exclusief ontwikkeld door Smeg, bestaat uit een stalen laag bevestigd aan de onderkant van het glasoppervlak van al het gas op glazen kookplaten.
	This function allows you to keep cooked food warm without burner it		Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	Melting function, suitable for slowly melting delicate foods such as chocolate or butter.		Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility
	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.		All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.
	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).		Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
	Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.		Time elapsed: shows how long the cooking zone has been in use.
	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.		Ultrasnelle branders: Krachtige ultrasnelle branders bieden tot 5kw vermogen.
	Darkness becomes light		

---

## Benefit (TT)

---

### Mixed type hob

Maximum efficiency and precision in one system: induction for speed and savings, gas for flame control

### Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

### Eclipse

Minimal design and high performance meet in Eclipse black glass, with no visible screen printing

### Cast iron

Solid and sturdy, easy to clean and maintain every day, thanks to the cast-iron pan supports—an emblem of long-lasting efficiency and durability.

### Smeg Contemporanea

Optimal cooking with every dish: burners combine high performance, efficiency, and practicality, ensuring precise, even results even with intensive use.

Accurate power adjustment via knobs, for more precise cooking level control

### Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Fits even the smallest spaces: Monozona modules let you customize the cooktop according to your needs, optimizing space in compact kitchens.

### Keep Warm function

Dishes always served at the right temperature, even after cooking, thanks to the Keep Warm function

Nine power levels and Boost function for optimal cooking performance

### Gas safety valves

Automatic protection against gas leaks: the thermocouple stops gas flow in the absence of flame, ensuring a safe environment even during unexpected shutdowns.

### Melting/Low temperature cooking function

Delicate ingredients like butter or chocolate can be melted at 44°C in a controlled way



---

**Glass on steel**

Safety even in case of breakage: a stainless steel sheet beneath the glass prevents fragmentation, allowing continued use until replacement.

**MultiZone**

Large surface created by joining two contiguous zones, perfect for large dishes

In addition to their sleek aesthetics and contemporary design, Smeg induction hobs are equipped with innovative technologies. The Multizone function guarantees maximum flexibility in the use of the hob and endless cooking possibilities, expanding the cooking area to suit the shape and size of different pans

**Permanent Automatic Pot Detection with indication of the relative control**

Automatic activation of the correct cooking zone with Autopot Detection, recognizing the pot without user intervention