

## PM6643R



Product Family Hob

Built-in Ultra-low profile

Dimensions65 cmPower supplyMixedTypeMixed

**EAN code** 8017709313555



#### **Aesthetics**











Aesthetics Dolce Stil Novo

Colour Black
Finishing Glass
Material Glass

Glass Type Eclipse ceramic
Glass edge Straight edge

Glass on Steel Yes
Series New
Pan stands Cast iron

Burners Smeg Contemporary

Burner Material Brass
Type of control setting Multi Slider

Slider Yes

Control knobs position Front

No. of controls 2

Controls colour Black
Logo Silk screen

Serigraphy colour Grey

## **Program / Functions**



No. of gas cook zones 2
No. of induction cook zones 2

SMEG SPA 06/12/2025



Time-setting options Automatic switch-off

No. of cooking zones with booster 2 No. of Flexible zones 1 Main on/off switch Yes Power levels 9

### Options

Total no. of cook zones



**Multizone Option** End of cooking acoustic Yes alarm Flexible Zone Type MultiZone Residual time indicator Yes Standard cut out 482-486x555-560 mm

Auto Multizone Yes **Double Booster** Yes Keep warm automatic Yes

function **Grill function** Yes End cooking timer

**Limited Power** Yes advance **Consumption Mode** Limited Power 2100 a 3700 - step 100 W Consumption Mode in W

Rapid level selection

Yes

4

**Show Room Demo** Yes Option Control Lock / Child Yes Pause option Yes Safety Minute minder Yes Bridge option Quick start Yes

#### **Technical Features**



Front left - Gas - AUX - 1.10 kW Rear left - Gas - Rapid - 3.10 kW

Rear right - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm Front right - Induction - multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm 38.5x23.0 cm

Automatic setting Yes Automatic switch off Yes according to pan when overheat dimension Automatic switch off Yes Automatic pan Yes when overflow detection

Residual heat indicator Yes **Permanent Automatic** Yes **Protection against** Yes Pot Detection with accidental start up indication of the relative

Gas safety valves Yes **Automatic Ignition** Yes

control

### **Electrical Connection**

3700 W Nominal power (W) Type of electric cable Single phase 50/60 Hz Current 16 A Frequency (Hz)

**SMEG SPA** 06/12/2025



Voltage (V)

220-240 V

Power supply cable length

120 cm

### **Gas Connection**


Gas Type
Gas connection
Other gas nozzles
included

G20/G25 natural gas Cilindrical G30 GPL Liquid gas Other gas connections provided
Gas connection rating

Conical

(W)

4200 W



SMEG SPA 06/12/2025



# **Compatible Accessories**

**LGCN** 



Connecting Strip Built-in hobs, stainless steel, 475/495 mm

SMEG SPA 06/12/2025



Darkness becomes light

# Symbols glossary

Ō	Automatic merge of zones for a bigger area	0	Permanent auto pot detection
P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Ultra-low profile: Installation of product with flat edge - height of 1 mm.
	Heavy duty cast iron pan stands: for maximum stability and strength.	8	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
9	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.		Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.
<u>"</u>	Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.	STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
÷:•	Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility		Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.
	PAUSE_72dpi	† P <sub>14</sub> † 10 † 5	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).
4	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.	H	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
0	Time elapsed: shows how long the cooking zone has been in use.	(%)	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.
	TWIN_ZONE_72dpi	Ē	Grill function
ECO logic	Possibility to set the maximum power absorbion of the hob	BOOST	Additional maximum power level for a better energy consumption

SMEG SPA 06/12/2025

MULTI

Premium individual Slider control for each zone