

PM6643R



Product Family Hob

Built-in type Ultra-low profile

Dimensions 65 cm Power supply Mixed Type Mixed

EAN code 8017709313555



Aesthetics











Dolce Stil Novo

Aesthetic Colour Black Glass **Finishing** Material Glass

Glass type ceramic Eclipse Glass edge Straight edge Glass on Steel Yes

Serie New Cast iron Pan stands

Burners Smeg Contemporary

Burners Material Brass Type of control setting Multi Slider

Slider Yes Control knob position Front No. of controls Controls colour Black

Serigraphy colour Grey

Program / Functions



Logo

No. of gas cook zones 2 No. of induction cook zones

SMEG SPA 12/5/2025

Silk screen



Time-setting options

No. of cooking zones with booster No. of Flexible zones

Main on/off switch Power levels

Total no. of cook zones

Spegnimento automatico

2

1

Yes

9 4

Options



function



Multizone Option

Worktop Cut-Out

Auto Multizone

Double Booster

Grill function

Pause option

Minute minder

End cooking timer



Keep warm automatic







Yes

Yes

Yes

Yes

Yes

Yes

3700 W

















End of cooking alarm Yes Yes Residual time indicator Flexible Zone Type MultiZone Yes Si Advance

482-486x555-560 mm Limited Power **Consumption Mode**

> Limited Power 2100 a 3700 - step 100 W

Consumption Mode in W Showroom Demo Option Yes Control Lock / Child Yes

Safety

Bridge option Yes Quick start Yes Rapid level selection Yes

Technical Features









Front-left - Gas - AUX - 1.10 kW Rear-left - Gas - Rapid - 3.10 kW

Rear-right - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm Front-right - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm

38.5x23.0 cm

Automatic setting according to pan

dimension

Yes pan detection **Permanent Automatic** Yes Pot Detection with indication of the relative

control

Gas safety valves Yes **Automatic Ignition** Yes Automatic switch off Yes

when overheat

Automatic switch off when overflow

Residual heat indicator Yes **Protection against** Yes

accidental start up

Electrical Connection

Electrical connection

rating (W)

Current 16 A

220-240 V Voltage (V)

Frequency (Hz)

Power supply cable

length Plug

120 cm

Not present

50/60 Hz

Yes

SMEG SPA 12/5/2025



Type of electric cable installed

Yes, Single phase

Gas Connection


Gas Type
Gas connection
Other gas nozzles
included

G20/G25 natural gas Cilindrical G30 GPL Liquid gas Other gas connections provided
Gas connection rating

(W)

Conical

4200 W



SMEG SPA 12/5/2025



Compatible Accessories

LGCN



Connecting Strip Built-in hobs, stainless steel, 475/495 mm

SMEG SPA 12/5/2025



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Heavy duty cast iron pan stands: for maximum stability and strength.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



This function allows you to keep cooked food warm without burner it



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi



Permanent auto pot detection



Grill function



Possibility to set the maximum power absorbion of the hob



Additional maximum power level for a better energy consumption



Darkness becomes light



Premium individual Slider control for each zone



Automatic merge of zones for a bigger area

SMEG SPA 12/5/2025