

## PM6721WLDR



**Product Family** Hob

**Traditional** Built-in 70/75 cm **Dimensions** Power supply Mixed Type Mixed

**EAN** code 8017709230470



### **Aesthetics**











**Aesthetics** Dolce Stil Novo

Colour Black **Finishing** Glass Material Glass

Glass Type Eclipse ceramic Glass edge Straight edge

Glass on Steel Yes Pan stands Cast iron

**Burners Smeg Contemporary** 

**Burner Material** Aluminium **Burner Coating Black Ceram** Type of control setting Control knobs

Control knobs position Front No. of controls Controls colour Black Components finishing Copper Serigraphy colour Grey

Alternative colours available Stainless steel

## **Programs / Functions**



Slider

No. of gas cook zones 2 No. of induction cook zones 2

**SMEG SPA** 04/12/2024

Yes



No. of cooking zones with booster 2
No. of Flexible zones 1
Main on/off switch Yes
Power levels 9
Total no. of cook zones 4

### **Options**



Pause option Multizone Option Yes Yes Minute minder Flexible Zone Type MultiZone 1 Standard cut out 482-486x719-724 mm End of cooking acoustic Yes alarm Simmering Function Yes Residual time indicator Yes Keep warm automatic Yes function Show Room Demo Yes Option Melting/Low Yes

function Safety
End cooking timer 2 Rapid level selection Yes

Control Lock / Child

Yes

### **Technical Features**

temperature cooking



Front left - Gas - AUX - 1.10 kW Rear left - Gas - UR - 3.30 kW

Rear right - Induction - Multizone -  $2.10 \, kW$  - Booster  $3.60 \, kW$  -  $18.0 \times 23.0 \, cm$ Front right - Induction - multizone -  $2.10 \, kW$  - Booster  $3.60 \, kW$  -  $18.0 \times 23.0 \, cm$ Multizone right - Booster  $3.60 \, kW$  -  $38.5 \times 23.0 \, cm$ 

Yes

**Automatic** setting Yes Automatic switch off Yes according to pan when overheat dimension Automatic switch off Yes when overflow Automatic pan Yes, min 9 cm detection Residual heat indicator Yes **Permanent Automatic** Yes **Protection against** 

Permanent Automatic Yes Protection against Yes
Pot Detection with accidental start up
indication of the relative
control

# Automatic Ignition Yes

Accessories Included

Gas safety valves

Cast iron wok support 1

### **Electrical Connection**

Nominal power (W)3700 WType of electric cableSingle phaseCurrent16 AFrequency (Hz)50/60 Hz

SMEG SPA 04/12/2024



Voltage (V)

220-240 V

Power supply cable length

120 cm

### **Gas Connection**

**Gas Type Gas** connection Other gas nozzles included


G20/G25 natural gas Cilindrical G30 GPL Liquid gas

Other gas connections provided

Conical

(W)

Gas connection rating 4400 W



04/12/2024 SMEG SPA



### Not included accessories



Company of the second

Wok support

#### **WOKGHU**



Cast-Iron WOK Support

#### **TPK**



Stainless steel grill plate to cook Teppanyaki dishes

#### **TPKPLATE**



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

#### **GRILLPLATE**



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

#### **GRM**



Gas hobs moka support

#### **LGCN**



Connecting Strip Built-in hobs, stainless steel, 475/495 mm

SMEG SPA 04/12/2024



### Symbols glossary

7	5	
•	١.	V
٠	2)	U
		0

--



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



PAUSE\_72dpi



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Heavy duty cast iron pan stands: for maximum stability and strength.



Knobs control



Darkness becomes light



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Melting function, suitable for slowly melting delicate foods such as chocolate or butter.



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



---

SMEG SPA 04/12/2024