

PM6743R



Type

Product Family

Built-in typeUltra-low profileDimensions70/75 cmPower supplyMixed

Hob

Mixed

EAN code 8017709313562



Aesthetics









Aesthetic Dolce Stil Novo

Colour Black
Finishing Copper
Material Glass

Glass type ceramic Eclipse
Glass edge Straight edge

Glass on Steel Yes
Serie New
Pan stands Cast iron

Burners Smeg Contemporary

Burners Material Brass

Type of control setting Multi Slider and Knobs

Slider Yes
Control knob position Front
No. of controls 2
Controls colour Black

Logo Silk screen

Serigraphy colour Grey

Program / Functions



No. of gas cook zones 2
No. of induction cook zones 2



Time-setting options

No. of cooking zones with booster

No. of Flexible zones Main on/off switch Power levels

Total no. of cook zones

Spegnimento automatico

2 1

Yes

9

4

Options





Worktop Cut-Out

























Multizone Option End of cooking alarm Yes Flexible Zone Type MultiZone Residual time indicator

482-486x719-724 mm

Auto Multizone Yes **Double Booster** Yes Keep warm automatic Yes

function

Grill function Yes End cooking timer Pause option Yes Minute minder

Yes Yes

Limited Power Si Advance

Consumption Mode

Limited Power 2100 a 3700 - step 100 W

Yes

Consumption Mode in W Showroom Demo Option Yes Control Lock / Child Yes

Safety

Bridge option Yes Quick start Yes Rapid level selection Yes

Technical Features











Yes

°C ∓ Front-left - Gas - AUX - 1.10 kW

Rear-left - Gas - UR - 3.30 kW

Rear-right - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm Front-right - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm

38.5x23.0 cm

Automatic setting according to pan dimension

Yes pan detection **Permanent Automatic** Yes

Pot Detection with indication of the relative

control

Gas safety valves Yes **Automatic Ignition** Yes Automatic switch off Yes

when overheat

Automatic switch off

when overflow

Residual heat indicator Yes **Protection against** Yes

accidental start up

Accessories included

Cast iron wok support

Electrical Connection



Electrical connection

3700 W

16 A

Frequency (Hz) 50/60 Hz

rating (W)

Current Voltage (V) Power supply cable length Plug

120 cm

Type of electric cable installed


220-240 V Yes, Single phase Not present

Gas Connection

Gas Type Gas connection Other gas nozzles included G20/G25 natural gas Cilindrical G30 GPL Liquid gas Other gas connections Conical provided

Gas connection rating 4400 W

(W)





Compatible Accessories

LGCN



Connecting Strip Built-in hobs, stainless steel, 475/495 mm



Symbols glossary

Ō	Automatic merge of zones for a bigger area	0	Permanent auto pot detection
P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Ultra-low profile: Installation of product with flat edge - height of 1 mm.
	Heavy duty cast iron pan stands: for maximum stability and strength.	δ	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
19	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.	BOOST	Additional maximum power level for a better energy consumption
ECLIPSE	Darkness becomes light		Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.
Ē	Grill function	$\bigsqcup^{\!$	This function allows you to keep cooked food warm without burner it
STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.	÷ 🔆	Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility
	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.		All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.
ECO logic	Possibility to set the maximum power absorbion of the hob	14 10 5	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).
4	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.	Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
()	Time elapsed: shows how long the cooking zone has been in use.	(%)	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.
	TWIN_ZONE_72dpi	UR	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.