

PM6743R

Product Family Built-in type Dimensions Power supply Type EAN code

Hob Ultra-low profile 70/75 cm Mixed Mixed 8017709313562




### Aesthetics

11 19 Aesthetic Colour Finishing Material Glass type Glass edge **Glass on Steel** Serie Pan stands **Burners Burners Material** Type of control setting Slider **Control knob position** No. of controls **Controls colour** Serigraphy colour

**Dolce Stil Novo** Black Copper Glass ceramic Eclipse Straight edge Yes New Cast iron Smeg Contemporary Brass Multi Slider and Knobs Yes Front 2 Black Grey

## **Program / Functions**





No. of Flexible zones	1
Main on/off switch	Yes
Power levels	9
Total no. of cook zones	4

## Options

		<b>4</b>	
Multizone Option	Yes	End of cooking alarm	Yes
Flexible Zone Type	MultiZone	Residual time indicator	Yes
Worktop Cut-Out	482-486x719-724 mm	Limited Power	Si Advance
Auto Multizone	Yes	Consumption Mode	
Double Booster	Yes	Limited Power	2100 a 3700 - step 100 W
Keep warm automatic	Yes	Consumption Mode in W	
function		Showroom Demo Option	Yes
Grill function	Yes	Control Lock / Child	Yes
End cooking timer	2	Safety	
Pause option	Yes	Bridge option	Yes
Minute minder	Ouick start	Quick start	Yes
		Rapid level selection	Yes

## **Technical Features**

Front-left - Gas - AUX - 1.10 kW				
Rear-left - Gas - UR - 3.30 kW				
Rear-right - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm				
Front-right - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm				
38.5x23.0 cm				
Automatic setting according to pan	Yes	Automatic switch off when overheat	Yes	
dimension		Automatic switch off	Yes	
pan detection	Yes	when overflow		
Permanent Automatic	Yes	Residual heat indicator	Yes	
Pot Detection with indication of the relative control		Protection against accidental start up	Yes	
Gas safety valves	Yes			
Automatic Ignition	Yes			

## Accessories included

Cast iron wok support 1

## **Electrical Connection**


Plug	Not present	Type of electric cable installed	Yes, Single phase



Electrical connection rating (W)	3700 W	Frequency (Hz) Power supply cable length	50/60 Hz 120 cm
Current	16 A	5	
Voltage (V)	220-240 V		

## **Gas Connection**


Gas Type Gas connection Other gas nozzles included G20/G25 natural gas Cilindrical G30 GPL Liquid gas Other gas connections Conical provided Gas connection rating 4400 W (W)





# **Compatible Accessories**

LGCN





# -ss-smeg

# Symbols glossary

Ō	Automatic merge of zones for a bigger area	O)	Permanent auto pot detection
P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Ultra-low profile: Installation of product with flat edge - height of 1 mm.
***	Heavy duty cast iron pan stands: for maximum stability and strength.	ს	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
9	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.		Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.
ľ	This function allows you to keep cooked food warm without burner it	STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
; ;⊙	Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility	\$  }  }	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.
	All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.	1 P 14 10 5	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).
4	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.	Н	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
$\bigcirc$	Time elapsed: shows how long the cooking zone has been in use.	$(\bigcirc)$	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.
	TWIN_ZONE_72dpi	UR	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.
Ē	Grill function	IN ECO logic ADVANCE	Possibility to set the maximum power absorbion of the hob
BOOST	Additional maximum power level for a better energy consumption	ECLIPSE	Darkness becomes light



## Benefit (TT)

#### Mixed type hob

Maximum efficiency and precision in one system: induction for speed and savings, gas for flame control

#### Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space

#### Eclipse

Minimal design and high performance meet in Eclipse black glass, with no visible screen printing

#### Cast iron

Solid and sturdy, easy to clean and maintain every day, thanks to the cast-iron pan supports—an emblem of longlasting efficiency and durability

#### Smeg Contemporanea

Optimal cooking with every dish: burners combine high performance, efficiency, and practicality, ensuring precise, even results even with intensive use

#### Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use

Fits even the smallest spaces: Domino modules let you customize the cooktop according to your needs, optimizing space in compact kitchens

#### **Keep Warm function**

Dishes always served at the right temperature, even after cooking, thanks to the Keep Warm function

Nine power levels and Boost function for optimal cooking performance

#### Gas safety valves

Automatic protection against gas leaks: the thermocouple stops gas flow in the absence of flame, ensuring a safe environment even during unexpected shutdowns

#### Glass on steel

Safety even in case of breakage: a stainless steel sheet beneath the glass prevents fragmentation, allowing continued use until replacement



#### MultiZone

Large surface created by joining two contiguous zones, perfect for large dishes

In addition to their sleek aesthetics and contemporary design, Smeg induction hobs are equipped with innovative technologies. The Multizone function guarantees maximum flexibility in the use of the hob and endless cooking possibilities, expanding the cooking area to suit the shape and size of different pans.

#### **Grill function**

Even heat distribution with the grill function, requiring just two minutes of preheating for perfectly grilled dish

#### Permanent Automatic Pot Detection with indication of the relative control

Automatic activation of the correct cooking zone with Autopot Detection, recognizing the pot without user intervention