

PM6912WLDRAU

Product Family Built-in type Dimensions Power supply Type EAN code

Hob Traditional 90 cm Mixed Mixed 8017709260248



Aesthetics

0 9 ... 14 Aesthetic Colour Finishing Material Glass type Glass edge **Glass on Steel** Pan stands **Burners Burners Material Burner Coating** Type of control setting Slider **Control knob position** No. of controls **Controls colour Components finishing** Serigraphy colour Alternative colours available

Dolce Stil Novo Black Glass Glass Ceramic Straight edge Yes Cast iron Smeg Contemporary Alluminium **Black Ceram** Control knobs Yes Front 1 Black Copper Grey Stainless steel

Program / Functions

P		
No. of gas cook zones	1	
No. of induction cook zones	4	



No. of cooking zones with booster	4	
No. of Flexible zones	2	
Main on/off switch	Yes	
Power levels	9	
Total no. of cook zones	5	

Options

i \$© #			
Multizone Option	Yes	Pause option	Yes
Flexible Zone Type	MultiZone	Minute minder	1
Standard cut out	482-486x844-848 mm	End of cooking alarm	Yes
Simmering Function	Yes	Residual time indicator	Yes
Keep warm automatic	Yes	Showroom Demo Option	Yes
function		Control Lock / Child	Yes
Melting/Low	Yes	Safety	
temperature cooking		Rapid level selection	Yes
function			
End cooking timer	4		

Technical Features

Centre-left - Gas - UR - 6.0	Centre-left - Gas - UR - 6.00 kW				
Rear-centre - Induction - Multizone - 2.10 kW - Booster 3.60 kW - 18.0x23.0 cm					
Front-centre - Induction - N	1ultizone - 2.10 kW - Booster	3.60 kW - 18.0x23.0 cm			
Rear-right - Induction - Mu	ltizone - 2.10 kW - Booster 3.	.60 kW - 18.0x23.0 cm			
Front-right - Induction - Mu	lltizone - 2.10 kW - Booster 3	.60 kW - 18.0x23.0 cm			
Multizone center - Booster	3.60 kW - 38.5x23.0 cm				
Multizone right - Booster 3	.60 kW - 38.5x23.0 cm				
Automatic setting according to pan	Yes	Automatic switch off when overheat	Yes		
dimension		Automatic switch off	Yes		
pan detection	Yes, min 9 cm	when overflow			
Permanent Automatic	Yes	Residual heat indicator	Yes		
Pot Detection with indication of the relative control	2	Protection against accidental start up	Yes		
Gas safety valves	Yes				
Automatic Ignition	Yes				

Accessories Included

Cast iron wok support 1

Electrical Connection

Type of electric cable Single phase



Electrical connection rating (W)	7400 W	Frequency (Hz) Power supply cable length	50/60 Hz 120 cm
Current	33 A	5	
Voltage (V)	220-240 V		

Gas Connection

Gas Type Gas connection Other gas nozzles included G20 Natural gas Conical G30 GPL Liquid gas Other gas connections Cylindrical provided Gas connection rating 6000 W (W)





Compatible Accessories



GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPK



Stainless steel grill plate to cook Teppanyaki dishes



WOKGHU



Cast-Iron WOK Support



GRW

Wok support

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



Symbols glossary

O)		P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.
	Standard installation: Traditional installation in tabletop, suitable for any kitchen sets		Heavy duty cast iron pan stands: for maximum stability and strength.
ს	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.	0	Knobs control
19	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.	/48.ga	Small cut-out for easy installation
	Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.		Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.
STOP ℃∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.	Ц	Melting function, suitable for slowly melting delicate foods such as chocolate or butter.
÷⊡ ‡⊙	Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility		Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.
	PAUSE_72dpi	1 P 14 10 5	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).
1-1	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.		Simmering function: ideal for long-cooking recipes, preventing food from boiling over or sticking to the pan.
\bigcirc	Time elapsed: shows how long the cooking zone has been in use.	(\bigcirc)	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.
UR	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.	(See	
ecupse	Darkness becomes light		



Benefit (TT)

Mixed type hob

Maximum efficiency and precision in one system: induction for speed and savings, gas for flame control

Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

Eclipse

Minimal design and high performance meet in Eclipse black glass, with no visible screen printing

Cast iron

Solid and sturdy, easy to clean and maintain every day, thanks to the cast-iron pan supports—an emblem of longlasting efficiency and durability.

Smeg Contemporanea

Optimal cooking with every dish: burners combine high performance, efficiency, and practicality, ensuring precise, even results even with intensive use.

Accurate power adjustment via knobs, for more precise cooking level control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Fits even the smallest spaces: Monozona modules let you customize the cooktop according to your needs, optimizing space in compact kitchens.

Keep Warm function

Dishes always served at the right temperature, even after cooking, thanks to the Keep Warm function

Nine power levels and Boost function for optimal cooking performance

Gas safety valves

Automatic protection against gas leaks: the thermocouple stops gas flow in the absence of flame, ensuring a safe environment even during unexpected shutdowns.

Melting/Low temperature cooking function

Delicate ingredients like butter or chocolate can be melted at 44°C in a controlled way



Glass on steel

Safety even in case of breakage: a stainless steel sheet beneath the glass prevents fragmentation, allowing continued use until replacement.

MultiZone

Large surface created by joining two contiguous zones, perfect for large dishes

In addition to their sleek aesthetics and contemporary design, Smeg induction hobs are equipped with innovative technologies. The Multizone function guarantees maximum flexibility in the use of the hob and endless cooking possibilities, expanding the cooking area to suit the shape and size of different pans

Permanent Automatic Pot Detection with indication of the relative control

Automatic activation of the correct cooking zone with Autopot Detection, recognizing the pot without user intervention