

PM6954R



Product Family Hob
Built-in Traditional
Dimensions 90 cm
Power supply Mixed
Type Mixed

EAN code 8017709313579



Aesthetics











Aesthetics Dolce Stil Novo

ColourBlackFinishingGlassMaterialGlass

Glass Type Eclipse ceramic
Glass edge Straight edge

Glass on Steel Yes
Series New
Pan stands Cast iron

Burners Smeg Contemporary

Burner Material Brass
Type of control setting Multi Slider

Slider Yes
Control knobs position Front
No. of controls 1
Controls colour Black
Logo Silk screen

Serigraphy colour Grey

Program / Functions





No. of gas cook zones 1
No. of induction cook zones 4

SMEG SPA 19/12/2025



Time-setting options Automatic switch-off

No. of cooking zones with booster

No. of Flexible zones

Main on/off switch

Power levels

Auto-Vent 2.0

Total no. of cook zones

4

Yes

Yes

5

Options



Multizone OptionYesEnd of cooking acousticYesFlexible Zone TypeMultiZonealarm

Standard cut out 482-486x844-848 mm Residual time indicator Yes

Auto Multizone Yes advance

Auto Multizone Yes Limited Power Yes advance

Double Booster Yes Consumption Mode

Keep warm automatic Yes Limited Power 2400 a 7400 - step 100 W

function

Grill function

Yes

Consumption Mode in W
Show Room Demo
Yes

End cooking timer 4 Option

Control Lock / Child Yes

Pause option Yes Safety
Minute minder 1 Bridge option Yes

Rapid level selection Yes

Yes

Rapid level selection

Technical Features



Centre left - Gas - UR - 6.00 kW - Booster 2.5 kW - Double booster 3 kW

Rear centre - Induction - multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm Front centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm

Rear right - Induction - multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm

Front right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm

Multizone left - Booster 3.7 kW

Multizone center - Booster 3.7 kW - 38.5x23.0 cm Multizone right - Booster 3.7 kW - 38.5x23.0 cm

Automatic setting Yes Automatic switch off Yes

according to pan when overheat
dimension Automatic switch off Yes
Automatic pan Yes when overflow

Automatic pan Yes when overflow detection Residual heat indicator Ye

detection Residual heat indicator Yes
Permanent Automatic Yes Protection against Yes
Pot Detection with accidental start up

control
Gas safety valves Yes

Yes

Accessories Included

indication of the relative

Automatic Ignition

SMEG SPA 19/12/2025



Cast iron wok support

Electrical Connection

Nominal power (W) 7400 W

1

Current 33 A Voltage (V) 220-240 V

Voltage 2 (V) 380-415 V Type of electric cable

Frequency (Hz) Power supply cable

length

Single and Double phase

50/60 Hz 120 cm

Gas Connection

Gas Type Gas connection

Other gas nozzles included

G20 Natural gas Cilindrical


G30 GPL Liquid gas

Other gas connections provided

Gas connection rating (W)

Conical

6000 W



SMEG SPA 19/12/2025



Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

LGCN



Connecting Strip Built-in hobs, stainless steel, 475/495 mm

SMEG SPA 19/12/2025



Symbols glossary

Ō	Automatic merge of zones for a bigger area	O	Permanent auto pot detection
P	Power booster: option allows the zone to work at full power when very intense cooking is necessary.		Standard installation: Traditional installation in tabletop, suitable for any kitchen sets
	Heavy duty cast iron pan stands: for maximum stability and strength.	8	Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.
9	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.		Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.
<u>"</u>	Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.	STOP °C∓	Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
; ⊙	Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility	⊕	Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.
1	PAUSE_72dpi	1 P 14 10 10 5	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).
4	Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.	H	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.
()	Time elapsed: shows how long the cooking zone has been in use.	()	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.
	TWIN_ZONE_72dpi	UR	Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.
<u></u> \$	Connection between hob and hood	į	Grill function
logic ADVANCE	Possibility to set the maximum power absorbion of the hob	/48 ₈₄ \	Small cut-out for easy installation

SMEG SPA 19/12/2025

Darkness becomes light

Additional maximum power level for a better

Premium individual Slider control for each zone

energy consumption

MULTI