

PM6954R



Product Family

Built-in Traditional
Dimensions 90 cm
Power supply Mixed
Type Mixed

EAN code 8017709313579



Aesthetics











Aesthetics Dolce Stil Novo

Hob

Colour Black
Finishing Glass
Material Glass

Glass Type Eclipse ceramic
Glass edge Straight edge

Glass on Steel Yes
Series New
Pan stands Cast iron

Burners Smeg Contemporary

Burner Material Brass
Type of control setting Multi Slider

Slider Yes
Control knobs position Front
No. of controls 1
Controls colour Black
Serigraphy colour Grey

Programs / Functions





Total no. of cook zones 5
No. of gas cook zones 1
No. of induction cook zones 4

Time-setting options Automatic switch-off



No. of cooking zones with booster4No. of Flexible zones2Main on/off switchYesPower levels9Auto-Vent 2.0Yes

Options



Standard cut out 482-486x844-848 mm Residual time indicator Yes

Auto Multizone Yes Limited Power Yes advance

Consumption Mode

Double Booster

Yes

Consumption Mode

Limited Power 2400 a 7400 - step 100 W

Keep warm automatic Yes
Consumption Mode in W

Grill function Yes Show Room Demo Yes
End cooking timer 4 Control Lock / Child Yes

Pause option Yes Safety

Minute minder 1 Bridge option Yes

Quick start Yes Rapid level selection Yes

Technical Features



Centre left - Gas - UR - 6.00 kW - Booster 2.5 kW - Double booster 3 kW

Rear centre - Induction - multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm Front centre - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm Rear right - Induction - multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm

Front right - Induction - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm Multizone left - Booster 3.7 kW

Multizone center - Booster 3.7 kW - 38.5x23.0 cm

Multizone right - Booster 3.7 kW - 38.5x23.0 cm

Automatic setting Yes Automatic switch off Yes

according to pan when overheat
dimension Automatic switch off Yes
Automatic pan Yes when overflow
detection Residual heat indicator Yes

Permanent Automatic Yes Protection against Yes
Pot Detection with accidental start up
indication of the relative

control
Gas safety valves Yes

Yes

Accessories Included

Automatic Ignition



Cast iron wok support

Electrical Connection

Nominal power (W) 7400 W Current 33 A

1

Voltage (V) 220-240 V Voltage 2 (V) 380-415 V Type of electric cable Frequency (Hz)

Power supply cable length

Single and Double phase

50/60 Hz 120 cm


Gas Connection

Gas Type
Gas connection
Other gas nozzles
included

G20 Natural gas Cilindrical G30 GPL Liquid gas Other gas connections provided
Gas connection rating (W)

Conical

6000 W





Not included accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

LGCN



Connecting Strip Built-in hobs, stainless steel, 475/495 mm



Symbols glossary

0	Automatic merg
\mathcal{Q}	

Automatic merge of zones for a bigger area



 $oldsymbol{\mathbb{P}}$

Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Standard installation: Traditional installation in tabletop, suitable for any kitchen sets



Heavy duty cast iron pan stands: for maximum stability and strength.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



The slider control panel allows you to adjust the power simply by passing your finger across the touch device.



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



...





Small cut-out for easy installation



Additional maximum power level for a better energy consumption



Keep warm function: Keep warm function keeps the cooked food heated. In this mode the heating zone operates at a minimum capacity for 120 minutes and then turns off automatically.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Multizone: allows several pans to be used at once, large or small, offering freedom of placement and greater flexibility



Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.



PAUSE_72dpi



Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).



Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.



TWIN_ZONE_72dpi



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



...



Darkness becomes light



Premium individual Slider control for each zone