

# PM6954R



Product familie

Type

Afmeting

Voeding

Type

EAN-code

Kookplaat

Standaard opbouw

90 cm

Gemixt

Gemixt

8017709313579



## Design



Design

Kleur

Afwerking

Materiaal

Type glas

Glazen rand

Glas op staal

Serie

Pottendragers

Gasbranders

Materiaal branders

Bediening

Slider bediening

Positie bediening

Aantal bedieningsknoppen

Kleur bedieningsknoppen

Kleur serigrafie

Dolce Stil Novo

Zwart

Glas

Glas

ceramic Eclipse

Rechte rand

Ja

Nieuw

Gietijzeren pottendragers

Gietijzeren branders

Messing

Multi Slider

Ja

Vooraan

1

Zwart

Grijs

## Program / Functions



Aantal kookzones gas

1

Aantal inductiekookzones

4

Opties tijdprogrammering

Automatische uitschakeling

Aantal kookzones met booster

4

Aantal Multizones	2
Hoofdtoets aan/uit	Ja
Vermogenniveaus	9
Auto-Vent 2.0	Ja
Totaal aantal kookzones	5

## Opties



Multizone	Ja	Geluidssignaal einde kooktijd	Ja
Flexible Zone Type	MultiZone	Resttijd indicator	Ja
Worktop Cut-Out	482-486x844-848 mm	ECO-Logic optie	Si Advance
Auto Multizone	Ja	Beperkt vermogensverbruik	2400 a 7400 - step 100 W
Auto Multizone	Ja	Showroom demo optie	Ja
Warmhoudfunctie	Ja	Kinderbeveiliging	Ja
Grill functie	Ja	TwinZone optie	Ja
Automatische uitschakeling	4	Quick start	Ja
Pauze optie	Ja	Snelle selectie niveaus	Ja
Timer	1		

## Technische specificaties



Linksmidden - Gas - URP - 6.00 kW - Booster 2.5 kW - Double booster 3 kW  
 Middenachter - Inductie - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm  
 Middenvoor - Inductie - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm  
 Rechtsachter - Inductie - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm  
 Rechtsvoor - Inductie - Multizone - 2.10 kW - Booster 2.50 kW - Double booster 3 kW - 24.0x18.0 cm  
 Multizone left - Booster 3.7 kW  
 Multizone center - Booster 3.7 kW - 38.5x23.0 cm  
 Multizone right - Booster 3.7 kW - 38.5x23.0 cm

Automatische aanpassing panafmeting	Ja	Automatisch uitschakelen i.g.v. oververhitting	Ja
Automatische panherkenning	Ja	Automatisch uitschakelen i.g.v. overkoken	Ja
Permanente automatische pot herkenning met indicatie op de bediening	Ja	Restwarmte indicator	Ja
Thermobeveiliging	Ja	Beveiliging tegen accidentele inschakeling	Ja
Automatische ontsteking	Ja		

## Meegeleverde accessoires


Gietijzeren wokring	1
---------------------	---

## Elektrische aansluiting

Nominale aansluitwaarde	7400 W	Type stroomkabel	Eenfasig en tweefasig
Stroom	33 A	Frequentie	50/60 Hz
Spanning (V)	220-240 V	Lengte voedingskabel	120 cm
Spanning 2 (V)	380-415 V	Stekker	No

## Gasaansluiting

Type gas	G20 Aardgas	Andere gasaansluitingen	Konisch
Gasaansluiting	Cilindrisch	Nominale aansluitwaarde gas	6000 W
Andere sproeiers meegeleverd	Sproeiers butaan/propaan gas meegeleverd		



---

## Compatible Accessories

---



### GRILLPLATE

Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.



### TPKPLATE

Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.



### LGCN

Connecting Strip Built-in hobs, stainless steel, 475/495 mm

## Symbols glossary

	Automatic merge of zones for a bigger area		Permanent auto pot detection
	Connection between hob and hood		Power booster: option allows the zone to work at full power when very intense cooking is necessary.
	Standard installation: Traditional installation in tabletop, suitable for any kitchen sets		Heavy duty cast iron pan stands: for maximum stability and strength.
	Sommige modellen zijn voorzien van een functie om het programma/de cyclus te blokkeren zodat het niet per ongeluk kan aangepast worden.		Premium individual Slider control for each zone
	The slider control panel allows you to adjust the power simply by passing your finger across the touch device.		Small cut-out for easy installation
	Additional maximum power level for a better energy consumption		Darkness becomes light
	Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.		...
	This function allows you to keep cooked food warm without burner it		Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.
	Multizone: maakt het mogelijk meerdere pannen tegelijk te gebruiken, groot of klein, voor meer plaatsingsvrijheid en meer flexibiliteit		Overfill protection: The special overfill protection shuts down the stove in the presence of overflow of liquids.
	All cooking zones can be reduced to the minimum power level, so the hob can be left unattended for a short period without food overcooking or burning. Then just press again this function, the previously set power levels can be reactivated.		Possibility to set the maximum power absorption of the hob
	Quick selection, with one touch cooking begins at the highest level, then automatically reduces after time. Ideal for dishes that require quick boiling and then continued cooking without constant control (eg beef broth).		Quick Start function: the chosen temperature is reached faster. The heating element works at maximum power until the right temperature is reached.
	Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.		Time elapsed: shows how long the cooking zone has been in use.
	Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.		TWIN_ZONE_72dpi



---

Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.

## Benefit (TT)

---

### Mixed type hob

Maximum efficiency and precision in one system: induction for speed and savings, gas for flame control

### Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

### Eclipse

Minimal design and high performance meet in Eclipse black glass, with no visible screen printing

### Cast iron

Solid and sturdy, easy to clean and maintain every day, thanks to the cast-iron pan supports—an emblem of long-lasting efficiency and durability.

### Smeg Contemporanea

Optimal cooking with every dish: burners combine high performance, efficiency, and practicality, ensuring precise, even results even with intensive use.

Precise and versatile cooking with Multi Slider controls and white LEDs, combining functionality with minimal design

### Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Fits even the smallest spaces: Monozona modules let you customize the cooktop according to your needs, optimizing space in compact kitchens.

### Keep Warm function

Dishes always served at the right temperature, even after cooking, thanks to the Keep Warm function

Nine power levels and Boost function for optimal cooking performance

### Gas safety valves

Automatic protection against gas leaks: the thermocouple stops gas flow in the absence of flame, ensuring a safe environment even during unexpected shutdowns.

### Glass on steel

Safety even in case of breakage: a stainless steel sheet beneath the glass prevents fragmentation, allowing continued use until replacement.

### **MultiZone**

Large surface created by joining two contiguous zones, perfect for large dishes

In addition to their sleek aesthetics and contemporary design, Smeg induction hobs are equipped with innovative technologies. The Multizone function guarantees maximum flexibility in the use of the hob and endless cooking possibilities, expanding the cooking area to suit the shape and size of different pans

### **Grill function**

Even heat distribution with the grill function, requiring just two minutes of preheating for perfectly grilled dish

### **Permanent Automatic Pot Detection with indication of the relative control**

Automatic activation of the correct cooking zone with Autopot Detection, recognizing the pot without user intervention

### **Auto-vent 2.0**

Cooktop and hood connected via Bluetooth for synchronized and automatic operation