

PSA906-5



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	90 cm
Power supply	Mixed
Type	Gas
EAN code	8017709247904



Aesthetics



Aesthetic	Classic
Colour	Stainless steel
Finishing	Satin
Material	Stainless Steel
Type of steel	Brushed
Pan stands	Cast iron
Burners	Standard
Burners Material	Alluminium
Type of control setting	Control knobs
Control knob position	Front
No. of controls	6
Controls colour	Silver
Serigraphy colour	Black

Options

Standard cut out 490x878 mm

Technical Features



Left - Gas - 2UR (dual) - 4.50 kW
Front-centre - Gas - AUX - 1.05 kW
Rear-centre - Gas - Rapid - 2.50 kW
Rear-right - Gas - Rapid - 2.50 kW

Front-right - Gas - AUX - 1.05 kW

Gas safety valves	Yes	Automatic Ignition	Yes
-------------------	-----	--------------------	-----

Accessories Included


Cast iron wok support 1

Electrical Connection

Plug	(I) Australia	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Power supply cable length	120 cm
Voltage (V)	220-240 V	Plug	I
Type of electric cable	Single phase		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Cylindrical
Gas connection	Conical	Gas connection rating (W)	12583.3 W
Other gas nozzles included	G30 GPL Liquid gas		



Not included accessories



GRW
Wok support



GRM
Gas hobs moka support







WOKGHU
Cast-Iron WOK Support



6MP1PGF
6 Linea knobs for PGF hobs

Symbols glossary (TT)

- | | | | |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |  | Knobs control |