

PSA906-5



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	90 cm
Power supply	Mixed
Type	Gas
EAN code	8017709247904



Aesthetics



Aesthetic	Classic
Colour	Stainless steel
Finishing	Satin
Material	Stainless Steel
Type of steel	Brushed
Pan stands	Cast iron
Burners	Standard
Burners Material	Alluminium
Type of control setting	Control knobs
Control knob position	Front
No. of controls	6
Controls colour	Silver
Serigraphy colour	Black

Program / Functions

No. of gas cook zones	5
Total no. of cook zones	5

Options

Standard cut out	490x878 mm
------------------	------------

Technical Features

UR

Left - Gas - 2UR (dual) - 4.50 kW
 Front-centre - Gas - AUX - 1.05 kW
 Rear-centre - Gas - Rapid - 2.50 kW
 Rear-right - Gas - Rapid - 2.50 kW
 Front-right - Gas - AUX - 1.05 kW
 Gas safety valves Yes

Automatic Ignition Yes

Accessories Included

Cast iron wok support 1

Electrical Connection


Plug (I) Australia
 Electrical connection 1 W
 Voltage (V) 220-240 V
 Type of electric cable Single phase

Frequency (Hz) 50/60 Hz
 Power supply cable length 120 cm
 Plug I

Gas Connection

Gas Type G20 Natural gas
 Gas connection Conical
 Other gas nozzles included G30 GPL Liquid gas

Other gas connections provided Cylindrical
 Gas connection rating (W) 12583,3 W



Compatible Accessories

6MP1PGF

6 Linea knobs for PGF hobs



GRW

Wok support



GRM

Gas hobs moka support







WOKGHU

Cast-Iron WOK Support



Symbols glossary

- | | | | |
|--|---|---|---|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength. |
|  | Knobs control |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |