

PSI264



Product Family

Built-in type Dimensions

Power supply Type

EAN code


Hob

Ultra-low profile or Fully Flushed

60 cm Electric

Induction

8017709333898



Aesthetics



Aesthetic
Colour
Finishing
Material
Glass type
Glass edge

Type of control setting

LED colours

Control knob position

Logo Serigraphy colour Universale Black

Glass

Glass

Ceramic Straight edge

Digi Touch

Red

Front

Silk screen

Grey

Program / Functions



No. of induction cook zones

Time-setting options

No. of cooking zones with booster

Power levels

Main on/off switch

Total no. of cook zones

4

Spegnimento automatico

4 Yes

9 4

Options

SMEG SPA 25/11/2025













Worktop Cut-Out 478-482x555-560 mm End cooking timer 4

Minute minder 1 End of cooking alarm Yes Residual time indicator Yes Limited Power Yes **Consumption Mode** Control Lock / Child Yes

Safety

Technical Features







Front-left - Induction - Single - 1.60 kW - Booster 2.10 kW - Ø 21.0 cm

Rear-left - Induction - Single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm

Rear-right - Induction - Single - 1.60 kW - Booster 2.10 kW - Ø 21.0 cm

Front-right - Induction - Single - 1.20 kW - Booster 1.60 kW - Ø 15.0 cm Yes

Yes

Automatic setting according to pan

dimension

pan detection Yes, min. 9 cm

Minimum pan diameter

indication

Automatic switch off

when overheat

Residual heat indicator Yes Protection against Yes

Yes

Yes, Double and Three

accidental start up

Electrical Connection

7200 W **Electrical connection**

rating (W)

Current 32 A Voltage (V) 220-240 V Voltage 2 (V) 380-415 V Yes, Single phase

Type of electric cable


installed

Additional connection

modalities Phase Frequency (Hz) 50/60 Hz Power supply cable 120 cm

length

Plug Not present



SMEG SPA 25/11/2025



Compatible Accessories

GRILLPLATE



Universal griddle for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking meat, cheese and vegetables. Dimensions: 410 x 240 mm.

SCRP

Non-scratch hob scraper - suitable for induction and ceramic hobs

TPKPLATE



Universal plate for induction, gas, ceramic and electric hobs. Non-stick surface ideal for cooking fish, eggs and vegetables. Dimensions: 410 X 240 mm.

SMEG SPA 25/11/2025



Symbols glossary



Power booster: option allows the zone to work at full power when very intense cooking is necessary.



Child lock: some models are fitted with a device to lock the programme/cycle so it cannot be accidentally changed.



Touch control



CUT_OUT_STANDARD_72dpi



ECO-logic: option allows you to restrict the power limit of the appliance real energy saving.



Overheat protection: The safety system that automatically turns off the hob in case of overheating of the control unit.



Induction: The work of these hobs is based on the principle of electromagnetic induction. The heat is generated directly in the bottom of the pan during its contact with the hob.



Min diameter pot detection of 9 cm



Indication of residual heat: After the glass ceramic hob is switched off the residual heat indicator shows which of the heating zones still remains hot. When the temperature drops below 60 ° C, the indicator goes out.



Time elapsed: shows how long the cooking zone has been in use.



Timer: All ceramic hobs have a timer which automatically ends cooking after a preset time.

SMEG SPA 25/11/2025