

# **PUM910X**

美

Product family Hood

Hood Type Integrated hood

DesignCeilingExtractionExtractionElectronic controlYesPerimeter extractionYes

MaterialStainless steelType of steelBrushed

EAN code 8017709313043

Hood width 90 cm



#### **Aesthetics**

AestheticUniversaleSerigraphy colourBlackColourStainless steelLogoSilk screen

Finishing Satin

**Controls** 

Control setting Buttons

### **Programs / Functions**

No. of speeds 3
Intensive speed

#### **Technical Features**



No. of lights2Motor power190 WLight typeLEDNo. of filters3

Light Power1.5 WAnti-grease filtersStainless steelFree outlet maximum700 m³/hVent outlet150 mm

capacity

SMEG SPA 2/05/2024



	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2- 13 [dB(A)]
Speed 1	497	63
Speed 2	574	66
Speed 3	629	68
Intensive speed	700	69

## **Electrical Connection**

 Plug
 (I) Australia
 Voltage
 220-240 V

 Current
 10 A
 Frequency (Hz)
 50-60 Hz

## **Optional accessories**

Charcoal filter Yes

SMEG SPA 2/05/2024



## Symbols glossary (TT)



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Perimeter extraction panels: very efficient and aid noise reduction.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 2/05/2024