PUM910X

Product family	Hood
Hood Type	Integrated hood
Design	Ceiling
Extraction	Extraction
Electronic control	Yes
Perimeter extraction	Yes
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709313043
Hood width	90 cm
Aesthetic	Universale
Colour	Stainless steel
Finishing	Satin
Serigraphy colour	Black
Logo	Silk screen



Controls

Control setting	Buttons

Program / Functions

No. of speeds	3
Intensive speed	BOOST

Technical Features

No. of lights	2	**Motor power**	190 W
Light type	LED	**No. of filters**	3
Light Power	1.5 W	**Anti-grease filters**	Stainless steel
Free outlet maximum capacity	700 m³/h	**Vent outlet**	150 mm

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	497	63
Speed 2	574	66
Speed 3	629	68
Intensive speed	700	69

Electrical Connection

Current	10 A	**Frequency (Hz)**	50-60 Hz
Voltage	220-240 V	**Plug**	(I) Australia

Optional accessories

Charcoal filter	Yes

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Perimeter extraction panels: very efficient and aid noise reduction.



Intensive/turbo setting: when extra fast extraction is required.