

# **PUM910X**



Product family Hood

Hood Type Integrated hood

DesignCeilingExtractionExtractionElectronic controlYesPerimeter extractionYes

MaterialStainless steelType of steelBrushed

EAN code 8017709313043

Hood width90 cmAestheticUniversaleColourStainless steel

Finishing Satin
Serigraphy colour Black
Logo Silk screen



#### **Controls**

Control setting Buttons

# **Program / Functions**

No. of speeds Intensive speed

3 BOOST

#### **Technical Features**





No. of lights2Motor power190 WLight typeLEDNo. of filters3

Light Power 1,5 W Anti-grease filters Stainless steel
Free outlet maximum 700 m³/h Vent outlet 150 mm

capacity

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	497	63
Speed 2	574	66
Speed 3	629	68
Intensive speed	700	69

SMEG SPA 27/12/2025



### **Electrical Connection**

 Current
 10 A
 Frequency (Hz)

 Voltage
 220-240 V
 Plug

50-60 Hz (I) Australia

## **Optional accessories**

Charcoal filter Yes

SMEG SPA 27/12/2025



### Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Perimeter extraction panels: very efficient and aid noise reduction.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 27/12/2025