


PUM910X



Product family	Hood
Hood Type	Integrated hood
Design	Ceiling
Extraction	Extraction
Electronic control	Yes
Perimeter extraction	Yes
Material	Stainless steel
Type of steel	Brushed
EAN code	8017709313043
Aesthetic	Universale
Colour	Stainless steel
Finishing	Satin
Serigraphy colour	Black
Logo	Silk screen



Controls

Control setting Buttons

Program / Functions

No. of speeds 3

Intensive speed 

Technical Features



No. of lights	2	Motor power	190 W
Light type	LED	No. of filters	3
Light Power	1.5 W	Anti-grease filters	Stainless steel
Free outlet maximum capacity	700 m ³ /h	Vent outlet	150 mm

	Extraction rate IEC 61591 [m ³ /h]	Noise level IEC 60704-2-13 [dBA]
Speed 1	497	63
Speed 2	574	66
Speed 3	629	68
Intensive speed	700	69

Electrical Connection

Plug	(I) Australia	Voltage	220-240 V
Current	10 A	Frequency (Hz)	50-60 Hz

Optional accessories

Charcoal filter	Yes
------------------------	-----

Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Perimeter extraction panels: very efficient and aid noise reduction.



Intensive/turbo setting: when extra fast extraction is required.

Benefit (TT)

Perimetral aspiration

Optimized extraction through the perimeter aspiration system

Perimeter aspiration enhances extraction efficiency by directing vapors along the edges of the panel beneath the filters, optimizing air capture

Dimmering & Tunable lights

Customized lighting with LED lights featuring adjustable intensity and color temperature, from warm to cool tones