

PUM910X



Product family Hood

Hood Type Integrated hood

DesignCeilingExtractionExtractionElectronic controlYesPerimeter extractionYes

MaterialStainless steelType of steelBrushed

EAN code 8017709313043

Aesthetic Universale
Colour Stainless steel

Finishing Satin
Serigraphy colour Black
Logo Silk screen



Controls

Control setting Buttons

Program / Functions

No. of speeds Intensive speed



Technical Features





No. of lights2Motor power190 WLight typeLEDNo. of filters3

Light Power1.5 WAnti-grease filtersStainless steelFree outlet maximum700 m³/hVent outlet150 mm

capacity

	Extraction rate IEC 61591 [m³/h]	Noise level IEC 60704- 2-13 [dBA]
Speed 1	497	63
Speed 2	574	66
Speed 3	629	68
Intensive speed	700	69

SMEG SPA 29/09/2025



Electrical Connection

Plug (I) Australia Voltage 220-240 V Current 10 A Frequency (Hz) 50-60 Hz

Optional accessories

Charcoal filter Yes

SMEG SPA 29/09/2025



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Perimeter extraction panels: very efficient and aid noise reduction.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 29/09/2025