

PUM910X



Product family Hood

Hood Type Integrated hood

DesignCeilingExtractionExtractionElectronic controlYesPerimeter extractionYes

MaterialStainless steelType of steelBrushed

EAN code 8017709313043

Hood width90 cmAestheticUniversaleColourStainless steel

Finishing Satin
Serigraphy colour Black
Logo Silk screen



Controls

Control setting Buttons

Program / Functions

No. of speeds Intensive speed

3 BOOST

Technical Features





No. of lights2Motor power190 WLight typeLEDNo. of filters3

Light Power 1,5 W Anti-grease filters Stainless steel
Free outlet maximum 700 m³/h Vent outlet 150 mm

capacity

| | Extraction rate IEC 61591 [m³/h] | Noise level IEC 60704- 2-13 [dBA] |
|-----------------|-------------------------------------|--------------------------------------|
| Speed 1 | 497 | 63 |
| Speed 2 | 574 | 66 |
| Speed 3 | 629 | 68 |
| Intensive speed | 700 | 69 |

SMEG SPA 7/12/2025



Electrical Connection

Current 10 A Voltage 220-240 V Frequency (Hz) 50-60 Hz Plug (I) Australia

Optional accessories

Charcoal filter Yes

SMEG SPA 7/12/2025



Symbols glossary



Filters: Model has filters to help remove grease from the steam emanating from the pans during cooking.



Lights: All cooker hoods feature lights to illuminate the cooking area or add to the ambience of the kitchen.



Perimeter extraction panels: very efficient and aid noise reduction.



Intensive/turbo setting: when extra fast extraction is required.

SMEG SPA 7/12/2025