

# PV163B2



|                       |               |
|-----------------------|---------------|
| <b>Product Family</b> | Hob           |
| <b>Built-in type</b>  | Traditional   |
| <b>Dimensions</b>     | 60 cm         |
| <b>Power supply</b>   | Gas           |
| <b>Type</b>           | Gas           |
| <b>EAN code</b>       | 8017709254704 |



## Aesthetics



|                                      |                             |
|--------------------------------------|-----------------------------|
| <b>Aesthetic</b>                     | Linea                       |
| <b>Colour</b>                        | White                       |
| <b>Acabamento</b>                    | Glass                       |
| <b>Material</b>                      | Glass                       |
| <b>Glass type</b>                    | Standard (clear)            |
| <b>Glass edge</b>                    | Angled edge                 |
| <b>Glass on Steel</b>                | Yes                         |
| <b>Frame</b>                         | No                          |
| <b>Série</b>                         | Nova                        |
| <b>Pan stands</b>                    | Cast iron                   |
| <b>Pan Stand Coating</b>             | No                          |
| <b>Burners</b>                       | Vertical flame, flat design |
| <b>Burners Material</b>              | Alluminium                  |
| <b>Burner Coating</b>                | No                          |
| <b>Type of control setting</b>       | Control knobs               |
| <b>Control knob position</b>         | Front                       |
| <b>No. of controls</b>               | 3                           |
| <b>Controls colour</b>               | Steel effect                |
| <b>Illuminated control knobs</b>     | No                          |
| <b>Control knob protection</b>       | No                          |
| <b>Serigraphy colour</b>             | Grey                        |
| <b>Alternative colours available</b> | Black, Silver Glass         |

## Program / Functions

---

|                         |   |
|-------------------------|---|
| No. of gas cook zones   | 3 |
| Total no. of cook zones | 3 |

## Options

---

|              |                    |
|--------------|--------------------|
| Corte padrão | 482-486x560-564 mm |
|--------------|--------------------|

## Technical Features

---

|                                    |     |                    |     |
|------------------------------------|-----|--------------------|-----|
| Left - Gas - Rapid - 3.20 kW       |     |                    |     |
| Rear-right - Gas - Rapid - 2.60 kW |     |                    |     |
| Front-right - Gas - AUX - 1.10 kW  |     |                    |     |
| Gas safety valves                  | Yes | Automatic Ignition | Yes |

## Accessories Included

---

|                   |    |
|-------------------|----|
| Other accessories | No |
|-------------------|----|

## Electrical Connection


---

|                                  |              |                                    |          |
|----------------------------------|--------------|------------------------------------|----------|
| Plug                             | No           | Frequency (Hz)                     | 50/60 Hz |
| Electrical connection rating (W) | 1 W          | Comprimento do cabo de alimentação | 120 cm   |
| Voltage (V)                      | 220-240 V    | Ficha elétrica                     | No       |
| Type of electric cable           | Single phase |                                    |          |

## Gas Connection

---

|                            |                                   |                                |         |
|----------------------------|-----------------------------------|--------------------------------|---------|
| Gas Type                   | G20/G25 natural gas               | Other gas connections provided | Conical |
| Ligação ao gás             | Ligação ao gás cilíndrica         | Gas connection rating (W)      | 6900 W  |
| Other gas nozzles included | G30 GPL Liquid gas, G110 City gas |                                |         |



---

## Compatible Accessories

---

**5MP1GOG**

Conjunto de botões para placa Botões de linha para placas de gás em vidro (5 botões)



---

## Symbols glossary

---



Instalação padrão: Instalação tradicional em tampo de mesa, adequado para qualquer conjunto de cozinha



Base reforçada: Uma base reforçada, desenvolvida exclusivamente pela Smeg, consiste em uma camada de aço fixada à parte inferior da superfície de vidro de todo o gás em placas de vidro.



Controle dos botões



Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência.



Queimadores direcionais: têm uma chama quase vertical que transfere energia real para o tacho.