

PV331CN

| | |
|----------------|------------------------------------|
| Product Family | Hob |
| Built-in type | Ultra-low profile or Fully Flushed |
| Dimensions | 30 cm |
| Power supply | Gas |
| Type | Gas |
| EAN code | 8017709255312 |



Aesthetics



| | |
|-------------------------|---------------|
| Aesthetic | Classica |
| Colour | Black |
| Finishing | Glass |
| Material | Glass |
| Glass on Steel | Yes |
| Pan stands | Cast iron |
| Burner Coating | Nichelato |
| Type of control setting | Control knobs |
| Control knob position | Front |
| No. of controls | 2 |
| Controls colour | Steel effect |
| Components finishing | White |
| Logo | Silk screen |
| Serigraphy colour | Grey |

Program / Functions

| | |
|-------------------------|---|
| No. of gas cook zones | 1 |
| Total no. of cook zones | 1 |

Options

| | |
|-----------------|--------------------|
| Worktop Cut-Out | 476-480x250-254 mm |
|-----------------|--------------------|

Technical Features

UR

Central - Gas - UR - 6.00 kW


| | | | |
|--------------------------|-----|---------------------------|-----|
| Gas safety valves | Yes | Automatic Ignition | Yes |
|--------------------------|-----|---------------------------|-----|

Electrical Connection

| | | | |
|---|-------------------|----------------------------------|-------------|
| Electrical connection rating (W) | 1 W | Frequency (Hz) | 50/60 Hz |
| Voltage (V) | 220-240 V | Power supply cable length | 120 cm |
| Type of electric cable installed | Yes, Single phase | Plug | Not present |

Gas Connection

| | | | |
|-----------------------------------|-----------------------------------|---------------------------------------|---------|
| Gas Type | G20 Natural gas | Other gas connections provided | Conical |
| Gas connection | Cilindrical | Gas connection rating (W) | 6000 W |
| Other gas nozzles included | G30 GPL Liquid gas, G110 City gas | | |



Compatible Accessories

5MP1G0GB3



GRM

Coffee machine support



LGCN

Connecting Strip Built-in hobs, stainless steel, 475/495 mm



5MPV3MB



GRW

Wok support







WOKGHU

Cast iron WOK Support



Symbols glossary

- | | | | |
|--|--|---|---|
|  | Heavy duty cast iron pan stands: for maximum stability and strength. |  | Knobs control |
|  | Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs. |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |