

# PV331CN

Product Family	Hob
Built-in type	Ultra-low profile or Fully Flushed
Dimensions	30 cm
Power supply	Gas
Type	Gas
EAN code	8017709255312



## Aesthetics



Aesthetic	Classica
Colour	Black
Finishing	Glass
Material	Glass
Glass on Steel	Yes
Pan stands	Cast iron
Burner Coating	Nichelato
Type of control setting	Control knobs
Control knob position	Front
No. of controls	2
Controls colour	Steel effect
Components finishing	White
Logo	Silk screen
Serigraphy colour	Grey

## Program / Functions

No. of gas cook zones	1
Total no. of cook zones	1

## Options

Worktop Cut-Out	476-480x250-254 mm
-----------------	--------------------

## Technical Features

**UR**

Central - Gas - UR - 6.00 kW


<b>Gas safety valves</b>	Yes	<b>Automatic Ignition</b>	Yes
--------------------------	-----	---------------------------	-----

## Electrical Connection

<b>Electrical connection rating (W)</b>	1 W	<b>Frequency (Hz)</b>	50/60 Hz
<b>Voltage (V)</b>	220-240 V	<b>Power supply cable length</b>	120 cm
<b>Type of electric cable installed</b>	Yes, Single phase	<b>Plug</b>	Not present

## Gas Connection

<b>Gas Type</b>	G20 Natural gas	<b>Other gas connections provided</b>	Conical
<b>Gas connection</b>	Cilindrical	<b>Gas connection rating (W)</b>	6000 W
<b>Other gas nozzles included</b>	G30 GPL Liquid gas, G110 City gas		



---

## Compatible Accessories

---

5MP1G0GB3



**GRM**

Coffee machine support



**LGCN**

Connecting Strip Built-in hobs, stainless steel, 475/495 mm



5MPV3MB



**GRW**

Wok support



**WOKGHU**





Cast iron WOK Support



---

## Symbols glossary

---

- |  |  |   |   |
|--|--|---|---|
|  | Heavy duty cast iron pan stands: for maximum stability and strength.   |  | Knobs control   |
|  | Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs. |  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |