

PV331CN

| | |
|-----------------------|------------------------------------|
| Product Family | Hob |
| Built-in type | Ultra-low profile or Fully Flushed |
| Dimensions | 30 cm |
| Power supply | Gas |
| Type | Gas |
| EAN code | 8017709255312 |



Aesthetics



| | |
|--------------------------------|---------------|
| Aesthetic | Classica |
| Colour | Black |
| Finishing | Glass |
| Material | Glass |
| Glass on Steel | Yes |
| Pan stands | Cast iron |
| Burner Coating | Nichelato |
| Type of control setting | Control knobs |
| Control knob position | Front |
| No. of controls | 2 |
| Controls colour | Steel effect |
| Components finishing | White |
| Logo | Silk screen |
| Serigraphy colour | Grey |

Program / Functions

| | |
|--------------------------------|---|
| No. of gas cook zones | 1 |
| Total no. of cook zones | 1 |

Options

| | |
|------------------------|--------------------|
| Worktop Cut-Out | 476-480x250-254 mm |
|------------------------|--------------------|

Technical Features

UR

Central - Gas - UR - 6.00 kW

Gas safety valves Yes


Automatic Ignition Yes

Electrical Connection

| | | | |
|---|-------------------|----------------------------------|-------------|
| Electrical connection rating (W) | 1 W | Frequency (Hz) | 50/60 Hz |
| Voltage (V) | 220-240 V | Power supply cable length | 120 cm |
| Type of electric cable installed | Yes, Single phase | Plug | Not present |

Gas Connection

| | | | |
|-----------------------------------|--------------------------------------|---------------------------------------|---------|
| Gas Type | G20 Natural gas | Other gas connections provided | Conical |
| Gas connection | Cilindrical | | |
| Other gas nozzles included | G30 GPL Liquid gas, G110 City gas | Gas connection rating (W) | 6000 W |



Compatible Accessories

5MP1GOGB3



GRM



LGCN



Connecting Strip Built-in hobs, stainless steel, 475/495 mm

5MPV3MB



GRW



WOKGHU



Cast iron WOK Support

Symbols glossary



Heavy duty cast iron pan stands: for maximum stability and strength.



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



Knobs control



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.