


PV332CN

Product Family	Hob
Built-in type	Ultra-low profile or Fully Flushed
Dimensions	30 cm
Power supply	Gas
Type	Gas
EAN code	8017709255336



Aesthetics



Aesthetic	Classica
Colour	Black
Acabamento	Glass
Material	Glass
Glass on Steel	Yes
Pan stands	Cast iron
Pan Stand Coating	No
Burner Coating	Nichelato
Type of control setting	Control knobs
Control knob position	Front
No. of controls	2
Controls colour	Steel effect
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	Grey

Program / Functions

No. of gas cook zones	2
Total no. of cook zones	2

Options

Corte padrão	476-480x250-254 mm
--------------	--------------------

Technical Features

Front-centre - Gas - Semi Rapid - 1.80 kW

Rear-centre - Gas - Rapid - 3.00 kW


Gas safety valves Yes Automatic Ignition Yes

Electrical Connection

Plug	No	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Comprimento do cabo de alimentação	120 cm
Voltage (V)	220-240 V	Ficha elétrica	No
Type of electric cable	Single phase		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Ligação ao gás	Ligação ao gás cilíndrica	Gas connection rating (W)	4800 W
Other gas nozzles included	G30 GPL Liquid gas, G110 City gas		



Compatible Accessories

5MP1GOG

Conjunto de botões para placa Botões de linha para placas de gás em vidro (5 botões)



GRM

Suporte moka para placas a gás



LGCN

Tira de ligação Placas embutidas, aço inoxidável, 475/495 mm



5MP1GOGB3



GRW

Suporte para wok



WOKGHU

Suporte de ferro fundido para WOK



Symbols glossary



Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência.



Controle dos botões



Base reforçada: Uma base reforçada, desenvolvida exclusivamente pela Smeg, consiste em uma camada de aço fixada à parte inferior da superfície de vidro de todo o gás em placas de vidro.