


# PV332CN

Product Family	Hob
Built-in type	Ultra-low profile or Fully Flushed
Dimensions	30 cm
Power supply	Gas
Type	Gas
EAN code	8017709255336



## Aesthetics



Aesthetic	Classica
Colour	Black
Acabamento	Glass
Material	Glass
Glass on Steel	Yes
Pan stands	Cast iron
Pan Stand Coating	No
Burner Coating	Nichelato
Type of control setting	Control knobs
Control knob position	Front
No. of controls	2
Controls colour	Steel effect
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	Grey

## Program / Functions

No. of gas cook zones	2
Total no. of cook zones	2

## Options

Corte padrão	476-480x250-254 mm
--------------	--------------------

## Technical Features

Front-centre - Gas - Semi Rapid - 1.80 kW

Rear-centre - Gas - Rapid - 3.00 kW


<b>Gas safety valves</b>	Yes	<b>Automatic Ignition</b>	Yes
--------------------------	-----	---------------------------	-----

## Electrical Connection

<b>Plug</b>	No	<b>Frequency (Hz)</b>	50/60 Hz
<b>Electrical connection rating (W)</b>	1 W	<b>Comprimento do cabo de alimentação</b>	120 cm
<b>Voltage (V)</b>	220-240 V	<b>Ficha elétrica</b>	No
<b>Type of electric cable</b>	Single phase		

## Gas Connection

<b>Gas Type</b>	G20 Natural gas	<b>Other gas connections provided</b>	Conical
<b>Ligação ao gás</b>	Ligação ao gás cilíndrica	<b>Gas connection rating (W)</b>	4800 W
<b>Other gas nozzles included</b>	G30 GPL Liquid gas, G110 City gas		



## Compatible Accessories

### 5MP1GOG

Conjunto de botões para placa Botões de linha para placas de gás em vidro (5 botões)



### 5MPV3MB



### GRW

Suporte para wok



### WOKGHU

Suporte de ferro fundido para WOK



### 5MP1GOGB3



### GRM

Suporte moka para placas a gás



### LGCN

Tira de ligação Placas embutidas, aço inoxidável, 475/495 mm



---

## Symbols glossary

---



Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência.



Controle dos botões



Base reforçada: Uma base reforçada, desenvolvida exclusivamente pela Smeg, consiste em uma camada de aço fixada à parte inferior da superfície de vidro de todo o gás em placas de vidro.

---

## Benefit (TT)

---

### Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

### Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

### Ceramic

Stability and design even up to 700°C: the cooktop material resists high temperatures without deforming, maintaining aesthetics and functionality even with intensive use.

### Cast iron

Solid and sturdy, easy to clean and maintain every day, thanks to the cast-iron pan supports—an emblem of long-lasting efficiency and durability.

### Smeg Contemporanea

Optimal cooking with every dish: burners combine high performance, efficiency, and practicality, ensuring precise, even results even with intensive use.

Accurate power adjustment via knobs, for more precise cooking level control

### Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

Fits even the smallest spaces: Domino modules let you customize the cooktop according to your needs, optimizing space in compact kitchens.

### Gas safety valves

Automatic protection against gas leaks: the thermocouple stops gas flow in the absence of flame, ensuring a safe environment even during unexpected shutdowns.

### Glass on steel

Safety even in case of breakage: a stainless steel sheet beneath the glass prevents fragmentation, allowing continued use until replacement.