


# PV373LCN



Product Family	Hob
Built-in type	Ultra-low profile
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709284800



## Aesthetics



Aesthetic	Classica
Colour	Black
Finishing	Glass
Material	Glass
Glass on Steel	Yes
Pan stands	Cast iron
Burner Coating	Nichelato
Type of control setting	Control knobs
Control knob position	Front
No. of controls	3
Controls colour	Silver
Components finishing	Black
Serigraphy colour	White

## Programme / Functions

Total no. of cook zones	3
No. of gas cook zones	3

## Options

Worktop Cut-Out	482-486x560-564 mm
-----------------	--------------------

## Technical Features

UR

Left - Gas - UR - 6.50 kW

Rear-right - Gas - Rapid - 3.00 kW

Front-right - Gas - Semi Rapid - 1.80 kW


Gas safety valves                      Yes    Automatic Ignition                      Yes

## Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable installed	Yes, Single phase		

## Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	10800 W
Other gas nozzles included	G30 GPL Liquid gas, G110 City gas		



---

## Not included accessories






---

5MP1G0GB3



## Symbols glossary (TT)

---

- |  |   |   |  |
|--|---|---|--|
|  | Ultra-low profile: Installation of product with flat edge - height of 1 mm. |  | Heavy duty cast iron pan stands: for maximum stability and strength.   |
|  | Knobs control   |  | Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |   |  |