
# PV373LCN

| | |
|---|---|
| **Product Family** | Hob |
| **Built-in type** | Ultra-low profile |
| **Dimensions** | 70/75 cm |
| **Power supply** | Gas |
| **Type** | Gas |
| **EAN code** | 8017709284800 |



## Aesthetics

| | |
|---|---|
| **Aesthetic** | Classica |
| **Colour** | Black |
| **Finishing** | Glass |
| **Material** | Glass |
| **Glass on Steel** | Yes |
| **Pan stands** | Cast iron |
| **Burner Coating** | Nichelato |
| **Type of control setting** | Control knobs |
| **Control knob position** | Front |
| **No. of controls** | 3 |
| **Controls colour** | Silver |
| **Components finishing** | Black |
| **Logo** | Silk screen |
| **Serigraphy colour** | White |

## Program / Functions

| | |
|---|---|
| **No. of gas cook zones** | 3 |
| **Total no. of cook zones** | 3 |

## Options

| | |
|---|---|
| **Worktop Cut-Out** | 482-486x560-564 mm |

## Technical Features

UR

Left - Gas - UR - 6.50 kW
Rear-right - Gas - Rapid - 3.00 kW
Front-right - Gas - Semi Rapid - 1.80 kW


| | | | |
|---|---|---|---|
| **Gas safety valves** | Yes | **Automatic Ignition** | Yes |

## Electrical Connection

| | | | |
|---|---|---|---|
| **Electrical connection rating (W)** | 1 W | **Frequency (Hz)** | 50/60 Hz |
| **Voltage (V)** | 220-240 V | **Power supply cable length** | 120 cm |
| **Type of electric cable installed** | Yes, Single phase | **Plug** | Not present |

## Gas Connection

| | | | |
|---|---|---|---|
| **Gas Type** | G20 Natural gas | **Other gas connections provided** | Conical |
| **Gas connection** | Cilindrical | | |
| **Other gas nozzles included** | G30 GPL Liquid gas, G110 City gas | **Gas connection rating (W)** | 10800 W |



## Compatible Accessories

**5MP1GOGB3**



**5MPV3MB**



## Symbols glossary



Ultra-low profile: Installation of product with flat edge - height of 1 mm.



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



Knobs control



Heavy duty cast iron pan stands: for maximum stability and strength.




Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.