


PV375NSA2

Product Family	Hob
Built-in type	Ultra-low profile or Fully Flushed
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709332105



Aesthetics



Aesthetic	Classica
Colour	Black
Acabamento	Glass
Material	Glass
Glass type	Standard (clear)
Glass edge	Straight edge
Glass on Steel	Yes
Frame	No
Pan stands	Cast iron
Pan Stand Coating	No
Burners	Standard
Burners Material	Alluminium
Burner Coating	No
Type of control setting	Control knobs
Control knob position	Front
No. of controls	5
Controls colour	Steel effect
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	White

Program / Functions

No. of gas cook zones	5
Total no. of cook zones	5

Options

Corte padrão 482-486x560-564 mm

Technical Features

UR

Front-left - Gas - AUX - 1.00 kW

Rear-left - Gas - Semi Rapid - 1.80 kW

Central - Gas - UR - 4.00 kW

Rear-right - Gas - Rapid - 1.80 kW

Front-right - Gas - Semi Rapid - 1.80 kW

Gas safety valves Yes Automatic Ignition Yes

Accessories Included


Other accessories No

Electrical Connection

Plug	No	Type of electric cable supplied	No
Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Comprimento do cabo de alimentação	120 cm
Type of electric cable	Single phase	Ficha elétrica	No
Type of electric cable	No		

Gas Connection

Gas Type	G30 GPL Liquid gas	Other gas nozzles included	G20 Natural gas
Ligação ao gás	Ligação ao gás cilíndrica	Gas connection rating (W)	9900 W



Compatible Accessories

5MP1GOG

Conjunto de botões para placa Botões de linha para placas de gás em vidro (5 botões)



5MP700PO

Conjunto de botões para placa - Creme de Cortina/Latão velho para gás em placas de vidro



5MP800P

Conjunto de botões para placa - Ouro Colonial/Creme para gás em placas de vidro



5MP700AO

Conjunto de botões para placa - Cortina Antracito/Bronze velho para gás em placas de vidro



5MP800A

Conjunto de botões para placa - Ouro Colonial/Antracito para gás em placas de vidro



WOKGHU

Suporte de ferro fundido para WOK



Symbols glossary



Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência.



Base reforçada: Uma base reforçada, desenvolvida exclusivamente pela Smeg, consiste em uma camada de aço fixada à parte inferior da superfície de vidro de todo o gás em placas de vidro.



Queimadores ultrarrápidos: Queimadores ultrarrápidos potentes oferecem até 5kw de potência.



Controle dos botões