

PV395LCN

Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions90 cmPower supplyGasTypeGas

EAN code 8017709233525



Aesthetics







AestheticClassicaColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edge

Glass on Steel Yes
Pan stands Cast iron

Burners Smeg Contemporary

Burners MaterialBrassBurner CoatingNichelatoType of control settingControl knobs

Control knob position Front No. of controls 5

Controls colour Steel effect
Serigraphy colour Grey

Programs / Functions

No. of gas cook zones 5
Total no. of cook zones 5

Options



SMEG SPA 5/2/2025



Worktop Cut-Out

482-486x844-848 mm

Technical Features



Left - Gas - UR - 6.00 kW

Rear-centre - Gas - Semi Rapid - 1.70 kW Front-centre - Gas - Semi Rapid - 1.70 kW Rear-right - Gas - Rapid - 2.60 kW

Front-right - Gas - AUX - 1.10 kW

Gas safety valves Yes

Automatic Ignition

Yes

Accessories Included

Cast iron wok support 1

Electrical Connection

Plug Type of electric cable Not present Yes, Single phase

installed **Electrical connection** 1 W

50/60 Hz rating (W) Frequency (Hz)

Voltage (V) 220-240 V Power supply cable 120 cm

length


Gas Connection

Gas Type G20/G25 natural gas Other gas connections Conical

provided Gas connection Cilindrical

12900 W Gas connection rating Other gas nozzles G30 GPL Liquid gas (W)

included



SMEG SPA 5/2/2025



Not included accessories

5MP1GOG

Hob knobs set Linea knobs for Gas on Glass hobs (5 knobs)



GRM

Coffee machine support



LGCN

Connecting Strip Built-in hobs, stainless steel, 475/495 mm



GRW

Wok support

5MP1GOGB3



WOKGHU

Cast iron WOK Support







Symbols glossary



Heavy duty cast iron pan stands: for maximum stability and strength.



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Small cut-out for easy installation

M Knobs control

SMEG SPA 5/2/2025