


PV395LNAU

Product Family	Hob
Built-in type	Ultra-low profile or Fully Flushed
Dimensions	90 cm
Power supply	Gas
Type	Gas
EAN code	8017709324735



Aesthetics



Aesthetic	Classic
Colour	Black
Finishing	Glass
Material	Glass
Glass type	Standard (clear)
Glass edge	Straight edge
Glass on Steel	Yes
Pan stands	Cast iron
Burners	Standard
Burners Material	Aluminium
Type of control setting	Control knobs
Control knob position	Front
No. of controls	5
Controls colour	Steel effect
Logo	Silk screen
Serigraphy colour	White

Program / Functions

No. of gas cook zones	5
Total no. of cook zones	5

Options



Standard cut out 482-486x844-848 mm

Technical Features

UR

Centre-left - Gas - UR - 4.00 kW

Rear-centre - Gas - Semi Rapid - 1.80 kW

Front-centre - Gas - Semi Rapid - 1.80 kW

Rear-right - Gas - Rapid - 2.60 kW

Front-right - Gas - AUX - 1.00 kW


Gas safety valves Yes Automatic Ignition Yes

Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220/240 V	Power supply cable length	120 cm
Type of electric cable	Single phase	Plug	(I) Australia

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Cylindrical
Gas connection	Conical	Gas connection rating (W)	43,8 W
Other gas nozzles included	G30 GPL Liquid gas		



Compatible Accessories

5MP1G0GB3



5MP700PO

Hob knobs set - Cortina Cream/Old brass for Gas on Glass hobs



5MP800P

Hob knobs set - Coloniale Gold/Cream for gas on glass hobs



WOKGHU

Cast-Iron WOK Support



5MP700AO

Hob knobs set - Cortina Anthracite/Old brass for Gas on Glass hobs



5MP800A

Hob knobs set - Coloniale Gold/Anthracite for gas on glass hobs



5MPV3MB



Symbols glossary

- | | | | |
|--|---|---|--|
|  | Heavy duty cast iron pan stands: for maximum stability and strength. |  | Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs. |
|  | Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power. |  | Small cut-out for easy installation |
|  | Knobs control | | |