

PV664LCNX



Product Family	Hob
Built-in type	Traditional
Dimensions	65 cm
Power supply	Gas
Type	Gas
EAN code	8017709222130



Aesthetics



Aesthetic	Dolce Stil Novo
Colour	Black
Acabamento	Glass
Material	Glass
Glass type	Ceramic
Glass on Steel	Yes
Pan stands	Cast iron
Pan Stand Coating	No
Burner Coating	Black Ceram
Type of control setting	Control knobs
Control knob position	Front
No. of controls	4
Controls colour	Black
Components finishing	Stainless Steel
Illuminated control knobs	No
Control knob protection	No
Serigraphy colour	Grey

Program / Functions

No. of gas cook zones	4
Total no. of cook zones	4

Options

Corte padrão

482-486x560-564 mm

Technical Features

Left - Gas - Rapid - 3.10 kW

Rear-centre - Gas - Semi Rapid - 1.70 kW

Front-centre - Gas - AUX - 1.10 kW

Right - Gas - Rapid - 2.60 kW


Gas safety valves	Yes	Automatic Ignition	Yes
-------------------	-----	--------------------	-----

Electrical Connection

Plug	No	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Comprimento do cabo de alimentação	120 cm
Voltage (V)	220-240 V	Ficha elétrica	No

Gas Connection

Gas Type	G20/G25 natural gas	Other gas connections provided	Conical
Ligação ao gás	Ligação ao gás cilíndrica	Gas connection rating (W)	8500 W
Other gas nozzles included	G30 GPL Liquid gas		



Compatible Accessories



GRM

Suporte moka para placas a gás



GRW

Suporte para wok



LGCN





Tira de ligação Placas embutidas, aço inoxidável, 475/495 mm



WOKGHU

Suporte de ferro fundido para WOK

Symbols glossary

- | | | | |
|--|--|---|---|
|  | Instalação padrão: Instalação tradicional em tampo de mesa, adequado para qualquer conjunto de cozinha |  | Suportes de ferro fundido para serviço pesado: para máxima estabilidade e resistência. |
|  | Controle dos botões |  | Base reforçada: Uma base reforçada, desenvolvida exclusivamente pela Smeg, consiste em uma camada de aço fixada à parte inferior da superfície de vidro de todo o gás em placas de vidro. |