

PVL6106CN

Product Family Hob

Built-in type Ultra-low profile or Fully Flushed

Dimensions100 cmPower supplyGasTypeGas

EAN code 8017709220624



Aesthetics





Aesthetic Dolce Stil Novo

ColourBlackFinishingGlassMaterialGlassGlass typeCeramicGlass edgeStraight edge

Glass on Steel Yes

Pan standsStainless steelPan Stand CoatingTitaniumBurnersLaminateBurner MaterialBrassBurner CoatingNichelatoType of control settingControl knobs

Control knob positionFrontNo. of controls6Controls colourBlackSerigraphy colourGrey

Alternative colours available Stainless steel

Program / Functions

No. of gas cook zones 6
Total no. of cook zones 6



Options

Worktop Cut-Out 482-486x880-884 mm

Technical Features





Centre-left - Gas - UR - 3.50 kW

Rear-left - Gas - Semi Rapid - 1.60 kW

Front-left - Gas - AUX - 1.00 kW

Rear-right - Gas - Rapid - 2.50 kW

Front-right - Gas - AUX - 1.00 kW

Centre-right - Gas - UR - 3.50 kW

Gas safety valves Ye

Automatic Ignition Yes

Electrical Connection

Electrical connection

rating (W)

Voltage (V)

Type of electric cable

installed

1 W

220-240 V

Yes, Single phase

Frequency (Hz)

Power supply cable

length

e phase Plug

50/60 Hz

120 cm

Not present

Gas Connection

Gas Type
Gas connection

Other gas nozzles

included

G20 Natural gas

Cilindrical

G25 Natural gas, G30 GPL

Liquid gas

Other gas connections


provided

Gas connection rating

(W)

Conical

13100 W





Compatible Accessories

6MP1BF

6 Linea knobs kit for hobs with blade flame

GRM

Coffee machine support

LGCN

Connecting Strip Built-in hobs, stainless steel, 475/495 mm

00000

GRW

Wok support

6MP1BFB3

A F

WOKGHU

Cast iron WOK Support





Symbols glossary

Φ

Knobs control



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.

UR

Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.