


PVL664CN

Ürün Ailesi	Ocak
Ankastre tipi	Ultra düşük profil veya Tamamen Yıkamış
Ebatlar	60 cm
Güç kaynağı	Gaz
Tip	Gaz
EAN kodu	8017709217839



Estetik



Estetik	Dolce Stil Novo
Renk	Siyah
Son işlemler	Cam
Malzeme	Cam
Cam tipi	Seramik
Cam kenarı	Düz kenar
Çelik üzerine Cam	Evet
Tava destekleri	Paslanmaz çelik
Tava Destekleri Kaplaması	Titanyum
Brülörler	Laminat
Brülör Malzemesi	Pirinç
Brülör Kaplaması	Nikel kaplama
Kontrol ayarı türü	Kontrol düğmeleri
Kontrol düğmesi konumu	Ön
Kumanda sayısı	4
Kumandaların rengi	Siyah
Serigrafi rengi	Gri
Alternatif renkler mevcuttur	Paslanmaz çelik

Program / Fonksiyonlar

Gazlı pişirme alanı sayısı	4
Toplam pişirme alanı sayısı	4

Seçenekler

Standart kesim

482-486x560-564 mm

Teknik özellikler

Ön sol - Gaz - Yardımcı - 1.00 kW

Arka sol - Gaz - Hızlı - 2.90 kW

Arka sağ - Gaz - Yarı Hızlı - 1.60 kW

Ön sağ - Gaz - Yarı Hızlı - 1.60 kW

Gaz emniyet valfleri Evet

Otomatik Ateşleme


Evet

Elektrik Bağlantısı

Elektrik bağlantısı derecesi (W)	1 W	Güç kaynağı kablo uzunluğu	120 cm
Voltaj (V)	220-240 V	Terminal box	No
Elektrik kablosu tipi	Tek faz	Fış	No
Frekans (Hz)	50/60 Hz		

Gaz Bağlantısı

Gaz Tipi	G20 Doğal gaz	Sağlanan diğer gaz bağlantıları	Konik
Gas connection	Cilindrical		
Diğer gaz nozülleri dahildir	G25 Doğal gaz, G30 GPL likit gaz	Gaz bağlantı derecesi (W)	7100 W



Compatible Accessories

6MP1BF

Bıçak alevli ocaklar için 6 Linea düğme seti



GRM



LGCN



6MP1BFB3

GRW



WOKGHU



6MP1BF	Bıçak alevli ocaklar için 6 Linea düğme seti	6MP1BFB3	
GRM	Gazlı ocaklar MOKA Desteği	GRW	Wok desteği

LGCN

Bağlantı Çitası Ankastre ocaklar, paslanmaz çelik, 475/495 mm

WOKGHU

Döküm WOK desteği

WOKGHU

Döküm WOK desteği

Symbols glossary



Güçlendirilmiş taban: Özel olarak Smeg tarafından geliştirilen güçlendirilmiş bir taban, cam ocaklar üzerindeki tüm gazin cam yüzeyinin alt tarafına sabitlenmiş çelik bir tabakadan oluşur.



Düğme kontrolü

Benefit (TT)

Gas hobs

Consistent heat source control and easy, immediate temperature adjustment

Equipped with a thermocouple, the gas supply is cut off if the flame is extinguished for greater safety.

Glass

Brightness and elegance in the kitchen: the acid-etched glass gives the surface a refined, modern look that enhances the space.

Ceramic

Stability and design even up to 700°C: the cooktop material resists high temperatures without deforming, maintaining aesthetics and functionality even with intensive use.

Stainless steel

Strong and easy to maintain every day: doesn't break if dropped, resists rust, easy to clean with detergents, and doesn't absorb liquids or odors.

Laminate

Top energy efficiency: thanks to Smeg's exclusive patent, heat is transferred directly to the pot, improving energy use and cooking performance.

Accurate power adjustment via knobs, for more precise cooking level control

Control knob position frontal

Instant and intuitive control thanks to front controls, easily accessible for practical use.

4 burners for every need: cook with precision and versatility thanks to different power levels, ideal for any pot and for managing multiple dishes simultaneously.

Gas safety valves

Automatic protection against gas leaks: the thermocouple stops gas flow in the absence of flame, ensuring a safe environment even during unexpected shutdowns.

Glass on steel

Safety even in case of breakage: a stainless steel sheet beneath the glass prevents fragmentation, allowing continued use until replacement.