

# PVL664CNAU

<b>Product Family</b>	Hob
<b>Built-in type</b>	Ultra-low profile or Fully Flushed
<b>Dimensions</b>	60 cm
<b>Power supply</b>	Gas
<b>Type</b>	Gas
<b>EAN code</b>	8017709259549



## Aesthetics



<b>Aesthetic</b>	Dolce Stil Novo
<b>Colour</b>	Black
<b>Finishing</b>	Glass
<b>Material</b>	Glass
<b>Glass type</b>	Ceramic
<b>Glass edge</b>	Straight edge
<b>Glass on Steel</b>	Yes
<b>Pan stands</b>	Stainless steel
<b>Pan Stand Coating</b>	Titanium
<b>Burners</b>	Laminate
<b>Burners Material</b>	Brass
<b>Burner Coating</b>	Nichelato
<b>Type of control setting</b>	Control knobs
<b>Control knob position</b>	Front
<b>No. of controls</b>	4
<b>Controls colour</b>	Black
<b>Logo</b>	Silk screen
<b>Serigraphy colour</b>	Grey
<b>Alternative colours available</b>	Stainless steel

## Program / Functions

<b>No. of gas cook zones</b>	4
<b>Total no. of cook zones</b>	4

## Options

Standard cut out 482-486x560-564 mm

## Technical Features

Front-left - Gas - AUX - 1.00 kW

Rear-left - Gas - Rapid - 2.80 kW

Rear-right - Gas - Semi Rapid - 1.60 kW

Front-right - Gas - Semi Rapid - 1.60 kW


Gas safety valves Yes Automatic Ignition Yes

## Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable	Single phase	Plug	(I) Australia

## Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Cylindrical
Gas connection	Conical	Gas connection rating (W)	7250 W
Other gas nozzles included	G30 GPL Liquid gas		



---

## Compatible Accessories

---

**6MP1BFB3**



**GRW**

Wok support



**GRM**

Gas hobs moka support



**WOKGHU**

Cast-Iron WOK Support



---

## Symbols glossary

---



Knobs control



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.