

# PVL664CNAU

|                |                                    |
|----------------|------------------------------------|
| Product Family | Hob                                |
| Built-in type  | Ultra-low profile or Fully Flushed |
| Dimensions     | 60 cm                              |
| Power supply   | Gas                                |
| Type           | Gas                                |
| EAN code       | 8017709259549                      |



## Aesthetics



|                               |                 |
|-------------------------------|-----------------|
| Aesthetic                     | Dolce Stil Novo |
| Colour                        | Black           |
| Finishing                     | Glass           |
| Material                      | Glass           |
| Glass type                    | Ceramic         |
| Glass edge                    | Straight edge   |
| Glass on Steel                | Yes             |
| Pan stands                    | Stainless steel |
| Pan Stand Coating             | Titanium        |
| Burners                       | Laminate        |
| Burners Material              | Brass           |
| Burner Coating                | Nichelato       |
| Type of control setting       | Control knobs   |
| Control knob position         | Front           |
| No. of controls               | 4               |
| Controls colour               | Black           |
| Logo                          | Silk screen     |
| Serigraphy colour             | Grey            |
| Alternative colours available | Stainless steel |

## Program / Functions

|                         |   |
|-------------------------|---|
| No. of gas cook zones   | 4 |
| Total no. of cook zones | 4 |

## Options

Standard cut out 482-486x560-564 mm

## Technical Features

Front-left - Gas - AUX - 1.00 kW  
 Rear-left - Gas - Rapid - 2.80 kW  
 Rear-right - Gas - Semi Rapid - 1.60 kW  
 Front-right - Gas - Semi Rapid - 1.60 kW  
 Gas safety valves Yes


Automatic Ignition Yes

## Electrical Connection

|                                  |              |                           |               |
|----------------------------------|--------------|---------------------------|---------------|
| Electrical connection rating (W) | 1 W          | Power supply cable length | 120 cm        |
| Voltage (V)                      | 220-240 V    | Plug                      | I             |
| Type of electric cable           | Single phase | Plug                      | (I) Australia |
| Frequency (Hz)                   | 50/60 Hz     |                           |               |

## Gas Connection

|                            |                    |                                |             |
|----------------------------|--------------------|--------------------------------|-------------|
| Gas Type                   | G20 Natural gas    | Other gas connections provided | Cylindrical |
| Gas connection             | Conical            | Gas connection rating (W)      | 7250 W      |
| Other gas nozzles included | G30 GPL Liquid gas |                                |             |



---

## Compatible Accessories

---

### 6MP1BF

6 Linea knobs kit for hobs with blade flame



### GRM

Gas hobs moka support



### WOKGHU

Cast-Iron WOK Support



### 6MP1BFB3



### GRW

Wok support



---

## Symbols glossary

---



Knobs control



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.