


PVL675LCN

Product Family	Hob
Built-in type	Ultra-low profile or Fully Flushed
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709217822



Aesthetics



Aesthetic

Colour

Finishing

Material

Glass type

Glass edge

Glass on Steel

Pan stands

Pan Stand Coating

Burners

Burners Material

Burner Coating

Type of control setting

Control knob position

No. of controls

Controls colour

Logo

Serigraphy colour

Alternative colours available

Dolce Stil Novo

Black

Glass

Glass

Ceramic

Straight edge

Yes

Stainless steel

Titanium

Laminate

Brass

Nichelato

Control knobs

Front

5

Black

Silk screen

Grey

Stainless steel

Program / Functions

No. of gas cook zones	5
Total no. of cook zones	5

Options

Worktop Cut-Out 482-486x700-704 mm

Technical Features

UR

Centre-left - Gas - UR - 3.50 kW
 Rear-centre - Gas - Semi Rapid - 1.60 kW
 Front-centre - Gas - AUX - 1.00 kW
 Rear-right - Gas - Rapid - 2.50 kW
 Front-right - Gas - AUX - 1.00 kW


Gas safety valves Yes **Automatic Ignition** Yes

Electrical Connection

Electrical connection rating (W)	1 W	Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V	Power supply cable length	120 cm
Type of electric cable installed	Yes, Single phase	Plug	Not present

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Gas connection	Cilindrical	Gas connection rating (W)	9600 W
Other gas nozzles included	G25 Natural gas, G30 GPL Liquid gas		



Compatible Accessories

6MP1BF

6 Linea knobs kit for hobs with blade flame



GRM

Coffee machine support



LGCN

Connecting Strip Built-in hobs, stainless steel, 475/495 mm

6MP1BFB3



GRW

Wok support



WOKGHU

Cast iron WOK Support

Symbols glossary



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Knobs control