


# PVL675LCN

<b>Product Family</b>	Hob
<b>Built-in type</b>	Ultra-low profile or Fully Flushed
<b>Dimensions</b>	70/75 cm
<b>Power supply</b>	Gas
<b>Type</b>	Gas
<b>EAN code</b>	8017709217822



## Aesthetics



<b>Aesthetic</b>	Dolce Stil Novo
<b>Colour</b>	Black
<b>Acabamento</b>	Glass
<b>Material</b>	Glass
<b>Glass type</b>	Ceramic
<b>Glass edge</b>	Straight edge
<b>Glass on Steel</b>	Yes
<b>Pan stands</b>	Stainless steel
<b>Pan Stand Coating</b>	Titanium
<b>Burners</b>	Laminate
<b>Burners Material</b>	Brass
<b>Burner Coating</b>	Nichelato
<b>Type of control setting</b>	Control knobs
<b>Control knob position</b>	Front
<b>No. of controls</b>	5
<b>Controls colour</b>	Black
<b>Illuminated control knobs</b>	No
<b>Control knob protection</b>	No
<b>Serigraphy colour</b>	Grey
<b>Alternative colours available</b>	Stainless steel

## Program / Functions

<b>No. of gas cook zones</b>	5
<b>Total no. of cook zones</b>	5

## Options

Corte padrão 482-486x700-704 mm

## Technical Features

UR

Centre-left - Gas - UR - 3.50 kW

Rear-centre - Gas - Semi Rapid - 1.60 kW

Front-centre - Gas - AUX - 1.00 kW

Rear-right - Gas - Rapid - 2.50 kW

Front-right - Gas - AUX - 1.00 kW

Gas safety valves Yes Automatic Ignition Yes

## Accessories Included


Other accessories No

## Electrical Connection

Plug	No	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Comprimento do cabo de alimentação	120 cm
Voltage (V)	220-240 V	Ficha elétrica	No
Type of electric cable	Single phase		

## Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Conical
Ligação ao gás	Ligação ao gás cilíndrica	Gas connection rating (W)	9600 W
Other gas nozzles included	G25 Natural gas, G30 GPL Liquid gas		



## Compatible Accessories

### 6MP1BF

6 Kit de botões Linha para placas com chama de lâmina



### GRM

Suporte moka para placas a gás



### LGCN

Tira de ligação Placas embutidas, aço inoxidável, 475/495 mm



### 6MP1BFB3



### GRW

Suporte para wok



### WOKGHU

Suporte de ferro fundido para WOK



---

## Symbols glossary

---



**Base reforçada:** Uma base reforçada, desenvolvida exclusivamente pela Smeg, consiste em uma camada de aço fixada à parte inferior da superfície de vidro de todo o gás em placas de vidro.



**Queimadores ultrarrápidos:** Queimadores ultrarrápidos potentes oferecem até 5kw de potência.



**Controle dos botões**