PVL675LCNAU

Product Family	Hob
Built-in type	Ultra-low profile or Fully Flushed
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709259624



Aesthetics

Aesthetic	Dolce Stil Novo
Colour	Black
Finishing	Glass
Material	Glass
Glass type	Ceramic
Glass edge	Straight edge
Glass on Steel	Yes
Pan stands	Stainless steel
Pan Stand Coating	Titanium
Burners	Laminate
Burners Material	Brass
Burner Coating	Nichelato
Type of control setting	Control knobs
Control knob position	Front
No. of controls	5
Controls colour	Black
Logo	Silk screen
Serigraphy colour	Grey
Alternative colours available	Stainless steel

Program / Functions

No. of gas cook zones	5
Total no. of cook zones	5

Options

Standard cut out	482-486x700-704 mm

Technical Features

UR

Centre-left - Gas - UR - 3.50 kW
Rear-centre - Gas - Semi Rapid - 1.60 kW
Front-centre - Gas - AUX - 1.00 kW
Rear-right - Gas - Rapid - 2.40 kW
Front-right - Gas - AUX - 1.00 kW


Gas safety valves	Yes	**Automatic Ignition**	Yes

Electrical Connection

Electrical connection rating (W)	1 W	**Frequency (Hz)**	50/60 Hz
Voltage (V)	220-240 V	**Power supply cable length**	120 cm
Type of electric cable	Single phase	**Plug**	(I) Australia

Gas Connection

Gas Type	G20 Natural gas	**Other gas connections provided**	Cylindrical
Gas connection	Conical		
Other gas nozzles included	G30 GPL Liquid gas	**Gas connection rating (W)**	9500 W



Compatible Accessories

6MP1BFB3



GRM



Gas hobs moka support

GRW



Wok support

WOKGHU



Cast-Iron WOK Support

Symbols glossary



Knobs control



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.