

PVL675LCNAU

Product Family	Hob
Built-in type	Ultra-low profile or Fully Flushed
Dimensions	70/75 cm
Power supply	Gas
Type	Gas
EAN code	8017709259624



Aesthetics

		
Aesthetic		Dolce Stil Novo
Colour		Black
Finishing		Glass
Material		Glass
Glass type		Ceramic
Glass edge		Straight edge
Glass on Steel		Yes
Pan stands		Stainless steel
Pan Stand Coating		Titanium
Burners		Laminate
Burners Material		Brass
Burner Coating		Nichelato
Type of control setting		Control knobs
Control knob position		Front
No. of controls		5
Controls colour		Black
Serigraphy colour		Grey
Alternative colours available		Stainless steel

Programs / Functions

Total no. of cook zones	5
No. of gas cook zones	5

Options

Standard cut out 482-486x700-704 mm

Technical Features



Centre-left - Gas - UR - 3.50 kW
Rear-centre - Gas - Semi Rapid - 1.60 kW
Front-centre - Gas - AUX - 1.00 kW
Rear-right - Gas - Rapid - 2.40 kW
Front-right - Gas - AUX - 1.00 kW


Gas safety valves	Yes	Automatic Ignition	Yes
-------------------	-----	--------------------	-----

Electrical Connection


Plug	(I) Australia	Frequency (Hz)	50/60 Hz
Electrical connection rating (W)	1 W	Power supply cable length	120 cm
Voltage (V)	220-240 V	Plug	I
Type of electric cable	Single phase		

Gas Connection

Gas Type	G20 Natural gas	Other gas connections provided	Cylindrical
Gas connection	Conical		
Other gas nozzles included	G30 GPL Liquid gas	Gas connection rating (W)	9500 W



Not included accessories



GRW
Wok support



WOKGHU
Cast-Iron WOK Support



6MP1BF
6 Linea knobs kit for hobs with blade flame



GRM
Gas hobs moka support

6MP1BFB3



Symbols glossary (TT)



Knobs control



Reinforced base: A reinforced base, developed exclusively by Smeg, consists of a steel layer fixed to the underside of the glass surface of all gas on glass hobs.



Ultra rapid burners: Powerful ultra rapid burners offer up to 5kw of power.